




LTM1160NX 荷重能力表 抜粋資料


目次


p. 1~p.21	T(ブーム仕様)、アウトリガー100%、CW45 t
p.22~p.40	T(ブーム仕様)、アウトリガー100%、CW29 t
p.41~p.56	T(ブーム仕様)、アウトリガー100%、CW23.8 t
p.57~p.70	T(ブーム仕様)、アウトリガー100%、CW16 t
p.71~p.84	T(ブーム仕様)、アウトリガー100%、CW9.0 t
p.85~p.98	T(ブーム仕様)、アウトリガー100%、CW 0 t
p.99~p.117	T(ブーム仕様)、アウトリガー75%、CW45 t
p.118~p.131	T(ブーム仕様)、アウトリガー75%、CW29 t
p.132~p.145	T(ブーム仕様)、アウトリガー75%、CW23.8 t
p.146~p.160	T(ブーム仕様)、アウトリガー75%、CW16 t
p.160~p.173	T(ブーム仕様)、アウトリガー75%、CW9.0 t
p.174~p.187	T(ブーム仕様)、アウトリガー75%、CW 0 t
p.188~p.206	T(ブーム仕様)、アウトリガー50%、CW45 t
p.207~p.220	T(ブーム仕様)、アウトリガー50%、CW29 t
p.221~p.234	T(ブーム仕様)、アウトリガー50%、CW23.8 t
p.235~p.248	T(ブーム仕様)、アウトリガー50%、CW16 t
p.249~p.262	T(ブーム仕様)、アウトリガー50%、CW9.0 t
p.263~p.276	T(ブーム仕様)、アウトリガー50%、CW 0 t
p.277~p.290	T(ブーム仕様)、アウトリガー0%、CW45 t
p.291~p.302	T(ブーム仕様)、アウトリガー0%、CW29 t
p.303~p.313	T(ブーム仕様)、アウトリガー0%、CW23.8 t
p.314~p.324	T(ブーム仕様)、アウトリガー0%、CW16 t
p.325~p.335	T(ブーム仕様)、アウトリガー0%、CW9.0 t
p.336	T(ブーム仕様)、アウトリガー0%、CW 0 t




[illegible]

[illegible]

[illegible]

[illegible]

T	--
9.0 m/s	


[illegible]



EN 13000 / ASME B30.5

T	--
9.0 m/s	


	 m > t				CODE >0001<								T286.001.00001	
	49.4	49.4	49.4	49.4	51.5	51.5	51.5	53.5	53.5	53.5	53.5	53.5	55.6	55.6
3.0														
3.5														
4.0														
4.5														
5.0														
6.0														
7.0														
8.0	17.4	16.6	21.4	19.3										
9.0	17.1	16.4	21.3	19.1	15.5	16.1	14.0	17.4	17.2	16.5	14.7	15.6	14.4	12.7
10.0	16.7	16.0	20.9	18.8	15.2	15.8	13.7	17.4	17.1	16.5	14.5	15.4	14.3	12.5
11.0	16.2	15.6	20.6	18.4	14.9	15.5	13.4	17.4	17.0	16.3	14.3	15.2	14.1	12.3
12.0	15.7	15.2	20.1	17.8	14.5	15.0	13.0	17.3	16.8	16.1	14.1	14.8	13.9	12.0
13.0	15.2	14.7	19.5	17.2	14.1	14.6	12.6	17.1	16.6	15.8	13.8	14.5	13.6	11.7
14.0	14.6	14.1	18.7	16.5	13.7	14.1	12.1	16.8	16.2	15.4	13.4	14.1	13.3	11.4
15.0	14.1	13.6	18.0	15.9	13.3	13.6	11.7	16.5	15.9	15.0	13.0	13.7	12.9	11.1
16.0	13.6	13.1	17.3	15.3	12.8	13.1	11.3	16.0	15.5	14.6	12.6	13.3	12.6	10.8
18.0	12.6	12.2	16.0	14.1	11.9	12.0	10.5	15.1	14.7	13.7	11.8	12.5	11.8	10.2
20.0	11.8	11.3	14.7	13.1	11.1	11.1	9.8	14.2	13.9	12.8	11.1	11.7	11.0	9.6
22.0	11.0	10.5	13.6	12.0	10.3	10.1	9.2	13.2	13.1	12.0	10.4	11.0	10.2	9.0
24.0	10.2	9.7	12.6	11.1	9.6	9.3	8.6	12.3	12.4	11.2	9.7	10.3	9.5	8.5
26.0	9.5	9.0	11.6	10.2	9.0	8.6	8.1	11.3	11.5	10.5	9.1	9.7	8.8	8.1
28.0	9.0	8.4	10.2	9.4	8.4	7.9	7.6	9.8	10.1	9.8	8.5	9.2	8.2	7.6
30.0	8.4	7.8	9.0	8.7	7.9	7.3	7.2	8.6	8.9	9.1	8.0	8.7	7.6	7.2
32.0	7.9	7.3	8.0	8.1	7.4	6.7	6.8	7.6	7.8	8.2	7.4	8.2	7.1	6.8
34.0	7.5	6.8	7.0	7.5	6.9	6.2	6.4	6.6	6.9	7.3	6.9	7.4	6.6	6.5
36.0	7.0	6.4	6.2	6.8	6.5	5.7	6.0	5.8	6.1	6.5	6.5	6.6	6.1	6.2
38.0	6.3	6.0	5.5	6.0	6.1	5.3	5.7	5.1	5.4	5.8	6.0	5.9	5.7	5.8
40.0	5.6	5.7	4.9	5.4	5.5	5.0	5.3	4.5	4.7	5.1	5.5	5.3	5.1	5.4
42.0	5.1	5.3	4.4	4.9	5.0	4.6	5.0	4.1	4.2	4.6	4.9	4.7	4.6	5.0
44.0	4.6	4.8	4.0	4.4	4.5	4.3	4.8	3.7	3.8	4.2	4.5	4.3	4.1	4.5
46.0	4.2	4.4	3.7	4.1	4.1	4.0	4.4	3.3	3.5	3.8	4.1	3.9	3.8	4.1
48.0					3.8	3.7	4.1	3.0	3.2	3.5	3.8	3.6	3.4	3.8
50.0								2.6	2.9	3.2	3.5	3.3	3.2	3.5
52.0													2.9	3.2
1	0 +	0 +	46 +	0 +	0 +	0 +	0 +	92 +	92 +	46 +	0 +	46 +	46 +	0 +
2	92 +	46 +	92 +	92 +	92 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	92 +
3	46 +	92 +	92 +	92 +	100 +	100 +	92 +	92 +	46 +	92 +	92 +	46 +	100 +	92 +
4	92 +	92 +	46 +	46 +	46 +	46 +	100 +	46 +	46 +	46 +	92 +	92 +	46 +	100 +
5	92 +	92 +	46 +	92 +	100 +	92 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +






T	--
9.0 m/s	




8.10 x
7.87
m





 m		 m > t														CODE >0001<														T286.001.00001													
		55.6		55.6		56.3		56.3		56.3		57.1		57.6		57.6		57.6		59.7		59.7		59.7		59.7		60.5															
 m	3.0																																										
	3.5																																										
	4.0																																										
	4.5																																										
	5.0																																										
	6.0																																										
	7.0																																										
	8.0																																										
	9.0	14.1	13.1			12.6	13.7																																				
	10.0	13.9	13.0	12.1	12.5	13.6	11.9	14.2	13.7	13.1	12.5	12.4	11.3	11.7	11.2	13.8	12.9	11.9	12.3	13.4	11.7	14.2	13.6	13.0	12.4	12.3	11.2	11.6	11.1	10.9													
11.0	13.8	12.9	11.9	12.3	13.4	11.7	14.2	13.6	13.0	12.4	12.3	11.2	11.6	11.1	13.6	12.7	11.7	12.1	13.2	11.5	14.2	13.4	12.9	12.3	12.2	11.1	11.6	10.9	10.8														
12.0	13.6	12.7	11.7	12.1	13.2	11.5	14.2	13.4	12.9	12.3	12.2	11.1	11.6	10.9	13.3	12.5	11.5	11.8	13.0	11.2	14.1	13.3	12.7	12.2	12.1	10.9	11.4	10.8	10.7														
13.0	13.3	12.5	11.5	11.8	13.0	11.2	14.1	13.3	12.7	12.2	12.1	10.9	11.4	10.8	13.0	12.2	11.2	11.5	12.7	11.0	13.9	13.0	12.5	12.0	11.9	10.7	11.3	10.6	10.5														
14.0	13.0	12.2	11.2	11.5	12.7	11.0	13.9	13.0	12.5	12.0	11.9	10.7	11.3	10.6	12.7	11.9	10.9	11.2	12.5	10.7	13.7	12.8	12.3	11.8	11.7	10.5	11.1	10.4	10.3														
15.0	12.7	11.9	10.9	11.2	12.5	10.7	13.7	12.8	12.3	11.8	11.7	10.5	11.1	10.4	12.4	11.5	10.6	10.9	12.2	10.5	13.4	12.5	12.0	11.6	11.5	10.3	10.9	10.2	10.1														
16.0	12.4	11.5	10.6	10.9	12.2	10.5	13.4	12.5	12.0	11.6	11.5	10.3	10.9	10.2	11.7	10.8	10.0	10.3	11.5	9.9	12.9	11.9	11.4	11.1	11.0	9.8	10.4	9.7	9.6														
18.0	11.7	10.8	10.0	10.3	11.5	9.9	12.9	11.9	11.4	11.1	11.0	9.8	10.4	9.7	10.3	9.4	8.8	9.0	10.0	8.7	11.6	10.7	10.2	9.9	9.9	8.9	9.1	8.7	8.6														
20.0	10.9	10.0	9.4	9.6	10.8	9.3	12.3	11.3	10.8	10.5	10.5	9.3	9.7	9.2	9.6	8.5	8.2	8.4	9.3	8.1	10.9	10.1	9.6	9.3	9.4	8.4	8.5	8.2	8.1														
22.0																																											









EN 13000 / ASME B30.5


T	--
9.0 m/s	


	CODE >0001< T286.001.00001														
	m	60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7
3.0													18.5	14.7	11.2
3.5													18.5	14.6	10.8
4.0													18.4	14.5	10.5
4.5													18.4	14.3	10.2
5.0													18.4	14.2	9.8
6.0													18.4	14.1	9.0
7.0													18.4	13.9	7.3
8.0													18.4	13.9	7.0
9.0													18.4	13.9	6.7
10.0	12.0	11.7	10.9	10.7									18.4	13.9	6.4
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0	11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	18.4	13.9	5.7	
14.0	11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	18.4	13.9	5.5	
15.0	11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		13.9	5.4	
16.0	11.2	10.6	10.0	9.8	11.0	10.2	9.8	9.4	9.0	7.9	8.7		13.9	5.2	
18.0	10.8	10.1	9.6	9.4	10.6	9.9	9.5	9.1	8.7	7.7	8.4		13.9	5.1	
20.0	10.3	9.5	9.1	9.0	10.2	9.6	9.1	8.8	8.3	7.5	8.0			5.1	
22.0	9.7	8.9	8.6	8.5	9.8	9.2	8.7	8.4	8.0	7.2	7.6			5.1	
24.0	9.1	8.3	8.1	8.0	9.3	8.8	8.2	8.1	7.7	6.9	7.2				
26.0	8.5	7.7	7.7	7.5	8.8	8.4	7.7	7.7	7.3	6.5	6.8				
28.0	8.0	7.2	7.2	7.1	8.4	8.0	7.3	7.4	6.9	6.1	6.4				
30.0	7.5	6.7	6.8	6.6	8.0	7.6	6.8	7.1	6.5	5.8	5.9				
32.0	7.0	6.2	6.4	6.2	7.5	7.2	6.4	6.8	6.1	5.4	5.5				
34.0	6.6	5.7	5.9	5.8	6.9	6.9	6.0	6.5	5.8	5.1	5.2				
36.0	6.0	5.3	5.5	5.4	6.1	6.1	5.7	6.1	5.4	4.7	4.8				
38.0	5.3	4.9	5.1	5.0	5.4	5.4	5.3	5.4	5.1	4.4	4.5				
40.0	4.7	4.5	4.7	4.7	4.7	4.8	4.8	4.8	4.7	4.2	4.2				
42.0	4.2	4.2	4.4	4.4	4.2	4.3	4.3	4.3	4.3	3.9	3.9				
44.0	3.8	3.8	4.0	4.2	3.8	3.9	3.9	3.9	3.9	3.7	3.7				
46.0	3.5	3.4	3.6	3.8	3.5	3.5	3.5	3.5	3.5	3.5	3.4				
48.0	3.1	3.1	3.3	3.5	3.1	3.2	3.2	3.2	3.2	3.2	3.1				
50.0	2.8	2.8	3.0	3.2	2.8	2.9	2.9	2.9	2.8	2.9	2.8				
52.0	2.5	2.5	2.7	2.9	2.6	2.6	2.6	2.6	2.6	2.6	2.5				
* n *											2!!				
1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




T	--
9.0 m/s	





[illegible]


[illegible]

r_286_001_00001_00_000

T	--
9.0 m/s	


[illegible]

[illegible]


r_286_001_00001_00_000



				m > t		CODE >0001<				T286.001.00001				
m		61.2	56.3	57.1	61.2	65.3	66.0							
3.0														
3.5														
4.0														
4.5														
5.0														
6.0														
7.0														
8.0														
9.0														
10.0		3.4	6.0	4.3	10.7									
11.0		3.0	5.6	3.9	10.5	4.4	2.8							
12.0		2.7	5.3	3.6	10.1	4.1	2.5							
13.0		2.4	5.0	3.3	9.8	3.8	2.2							
14.0		2.2	4.7	3.0	9.5	3.5	2.0							
15.0		1.9	4.4	2.7	9.3	3.2	1.7							
16.0		1.7	4.2	2.5	7.5	3.0	1.5							
18.0		1.3	3.7	2.1	7.1	2.5	1.1							
20.0		0.9	3.3	1.7	6.8	2.2								
22.0			3.0	1.4	6.5	1.8								
24.0			2.7	1.1	6.2	1.5								
26.0			2.4	0.9	6.0	1.2								
28.0			2.1		5.7	1.0								
30.0			1.9		5.5									
32.0			1.7		5.3									
34.0			1.5		5.2									
36.0			1.4		5.0									
38.0			1.2		4.9									
40.0			1.1		4.7									
42.0			1.0		4.4									
44.0					4.2									
46.0					3.8									
48.0					3.5									
50.0					3.2									
52.0					2.9									
1		100 -	0 +	0 +	46 -	92 -	100 -							
2		46 +	92 -	100 -	100 +	100 +	100 +							
3		100 +	100 +	100 +	100 +	100 +	100 +							
4		100 +	100 +	100 +	100 +	100 +	100 +							
5		100 +	100 +	100 +	100 +	100 +	100 +							
% 6		100 +	100 +	100 +	100 +	100 +	100 +							




T	--
9.0 m/s	

[illegible]


15 (19)

T	--
9.0 m/s	


[illegible]

16 (19)


T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]


18 (19)

[illegible]

[illegible]

T 9.0 m/s	--
--------------	----


[illegible]

[illegible]

T	--
9.0 m/s	





 m		 m > t		CODE >0012<										T286.001.00012			
		49.4	49.4	49.4	49.4	51.5	51.5	51.5	53.5	53.5	53.5	53.5	53.5	55.6	55.6		
3.0																	
3.5																	
4.0																	
4.5																	
5.0																	
6.0																	
7.0																	
8.0	17.4	16.6	21.4	19.3													
9.0	17.1	16.4	21.3	19.1	15.5	16.1	14.0	17.4	17.2	16.5	14.7	15.6	14.4	12.7			
10.0	16.7	16.0	20.9	18.8	15.2	15.8	13.7	17.4	17.1	16.5	14.5	15.4	14.3	12.5			
11.0	16.2	15.6	20.6	18.4	14.9	15.5	13.4	17.4	17.0	16.3	14.3	15.2	14.1	12.3			
12.0	15.7	15.2	20.1	17.8	14.5	15.0	13.0	17.3	16.8	16.1	14.1	14.8	13.9	12.0			
13.0	15.2	14.7	19.5	17.2	14.1	14.6	12.6	17.1	16.6	15.8	13.8	14.5	13.6	11.7			
14.0	14.6	14.1	18.7	16.5	13.7	14.1	12.1	16.8	16.2	15.4	13.4	14.1	13.3	11.4			
15.0	14.1	13.6	18.0	15.9	13.3	13.6	11.7	16.5	15.9	15.0	13.0	13.7	12.9	11.1			
16.0	13.6	13.1	17.0	15.3	12.8	13.1	11.3	15.9	15.5	14.6	12.6	13.3	12.6	10.8			
18.0	12.6	12.2	14.5	14.1	11.9	12.0	10.5	13.7	14.1	13.7	11.8	12.5	11.8	10.2			
20.0	11.8	11.3	12.5	12.9	11.1	11.1	9.8	11.8	12.1	12.5	11.1	11.7	11.0	9.6			
22.0	11.0	10.5	10.8	11.5	10.3	10.1	9.2	10.2	10.5	11.0	10.4	10.9	10.2	9.0			
24.0	10.1	9.7	9.3	9.9	9.6	9.3	8.6	8.9	9.1	9.5	9.7	9.7	9.3	8.5			
26.0	8.7	8.9	7.9	8.5	8.6	8.5	8.1	7.5	7.8	8.2	8.6	8.3	8.2	8.1			
28.0	7.5	7.8	6.7	7.3	7.4	7.4	7.6	6.4	6.6	7.0	7.4	7.1	7.0	7.4			
30.0	6.5	6.8	5.8	6.3	6.5	6.4	6.9	5.4	5.6	6.0	6.4	6.2	6.0	6.5			
32.0	5.7	5.9	4.9	5.5	5.6	5.5	6.0	4.6	4.8	5.2	5.6	5.3	5.2	5.6			
34.0	5.0	5.2	4.3	4.8	4.9	4.8	5.3	4.0	4.2	4.5	4.8	4.6	4.5	4.9			
36.0	4.4	4.6	3.8	4.2	4.3	4.2	4.6	3.5	3.7	4.0	4.3	4.1	4.0	4.3			
38.0	3.9	4.1	3.3	3.8	3.9	3.8	4.2	3.0	3.2	3.5	3.8	3.6	3.5	3.9			
40.0	3.5	3.7	2.9	3.4	3.4	3.4	3.8	2.6	2.8	3.1	3.4	3.2	3.1	3.5			
42.0	3.2	3.4	2.6	3.0	3.1	3.0	3.4	2.2	2.5	2.8	3.1	2.9	2.8	3.1			
44.0	2.8	3.0	2.2	2.7	2.8	2.7	3.1	1.8	2.1	2.4	2.7	2.5	2.4	2.8			
46.0	2.6	2.8	1.9	2.4	2.5	2.4	2.8	1.5	1.7	2.1	2.4	2.3	2.1	2.5			
48.0					2.2	2.1	2.5	1.2	1.4	1.8	2.2	1.9	1.8	2.2			
50.0								0.9	1.1								



T	--
9.0 m/s	



 m		 m > t		CODE >0012<										T286.001.00012			
		55.6	55.6	56.3	56.3	56.3	57.1	57.6	57.6	57.6	57.6	59.7	59.7	59.7	59.7	60.5	
3.0																	
3.5																	
4.0																	
4.5																	
5.0																	
6.0																	
7.0																	
8.0																	
9.0	14.1	13.1		12.6	13.7												
10.0	13.9	13.0	12.1	12.5	13.6	11.9	14.2	13.7	13.1	12.5	12.4	11.3	11.7	11.2	11.2		
11.0	13.8	12.9	11.9	12.3	13.4	11.7	14.2	13.6	13.0	12.4	12.3	11.2	11.6	11.1	11.1		
12.0	13.6	12.7	11.7	12.1	13.2	11.5	14.2	13.4	12.9	12.3	12.2	11.1	11.6	10.9	10.9		
13.0	13.3	12.5	11.5	11.8	13.0	11.2	14.1	13.3	12.7	12.2	12.1	10.9	11.4	10.8	10.8		
14.0	13.0	12.2	11.2	11.5	12.7	11.0	13.9	13.0	12.5	12.0	11.9	10.7	11.3	10.6	10.6		
15.0	12.7	11.9	10.9	11.2	12.5	10.7	13.7	12.8	12.3	11.8	11.7	10.5	11.1	10.4	10.4		
16.0	12.4	11.5	10.6	10.9	12.2	10.5	13.4	12.5	12.0	11.6	11.5	10.3	10.9	10.2	10.2		
18.0	11.7	10.8	10.0	10.3	11.5	9.9	12.9	11.9	11.4	11.1	11.0	9.8	10.4	9.7	9.7		
20.0	10.9	10.0	9.4	9.6	10.8	9.3	11.7	11.3	10.8	10.5	10.5	9.3	9.7	9.2	9.2		
22.0	10.3	9.2	8.8	9.0	10.0	8.7	10.2	10.2	10.2	9.8	9.8	8.9	9.1	8.7	8.7		
24.0	9.4	8.5	8.2	8.4	9.3	8.1	8.8	9.0	9.3	8.7	8.8	8.4	8.5	8.2	8.2		
26.0	8.2	7.9	7.7	7.8	8.2	7.6	7.7	7.8	8.2	7.6	7.7	7.9	7.9	7.7	7.7		
28.0	7.1	7.3	7.2	7.2	7.0	7.0	6.6	6.7	7.1	6.6	6.6	7.1	7.1	6.9	6.9		
30.0	6.1	6.4	6.5	6.4	6.1	6.4	5.6	5.7	6.1	5.6	5.6	6.1	6.1	5.9	5.9		
32.0	5.2	5.6	5.6	5.5	5.2	5.6	4.8	4.9	5.2	4.7	4.8	5.3	5.2	5.1	5.1		
34.0	4.6	4.9	4.9	4.8	4.5	4.8	4.1	4.2	4.5	4.1	4.2	4.6	4.5	4.4	4.4		
36.0	4.0	4.3	4.3	4.3	4.0	4.3	3.6	3.7	4.0	3.6	3.7	4.1	4.0	3.9	3.9		
38.0	3.6	3.8	3.9	3.8	3.5	3.8	3.2	3.3	3.6	3.2	3.2	3.6	3.6	3.4	3.4		
40.0	3.2	3.4	3.5	3.4	3.1	3.4	2.8	2.9	3.2	2.8	2.8	3.2	3.2	3.0	3.0		
42.0	2.8	3.1	3.1	3.0	2.8	3.0	2.4	2.5	2.8	2.4	2.5	2.8	2.8	2.7	2.7		
44.0	2.5	2.7	2.8	2.7	2.5	2.7	2.1	2.2	2.5	2.1	2.1	2.5	2.5	2.3	2.3		
46.0	2.2	2.4	2.5	2.4	2.2	2.4	1.7	1.8	2.2	1.7	1.8	2.2	2.2	2.0	2.0		
48.0	1.9	2.2															






EN 13000 / ASME B30.5

T	--
9.0 m/s	



			CODE >0012<										T286.001.00012		
	m	60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7
3.0													18.5	14.7	11.2
3.5													18.5	14.6	10.8
4.0													18.4	14.5	10.5
4.5													18.4	14.3	10.2
5.0													18.4	14.2	9.8
6.0													18.4	14.1	9.0
7.0													18.4	13.9	7.3
8.0													18.4	13.9	7.0
9.0													18.4	13.9	6.7
10.0	12.0	11.7	10.9	10.7									18.4	13.9	6.4
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0	11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	18.4	13.9	5.7	
14.0	11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	18.4	13.9	5.5	
15.0	11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		13.9	5.4	
16.0	11.2	10.6	10.0	9.8	11.0	10.2	9.8	9.4	9.0	7.9	8.7		13.9	5.2	
18.0	10.8	10.1	9.6	9.4	10.6	9.9	9.5	9.1	8.7	7.7	8.4		13.1	5.1	
20.0	10.3	9.5	9.1	9.0	10.2	9.6	9.1	8.8	8.3	7.5	8.0			5.1	
22.0	9.6	8.9	8.6	8.5	9.8	9.2	8.7	8.4	8.0	7.2	7.6			5.1	
24.0	8.7	8.3	8.1	8.0	8.7	8.5	8.2	8.1	7.7	6.9	7.2				
26.0	7.6	7.5	7.7	7.5	7.6	7.6	7.5	7.5	7.2	6.5	6.8				
28.0	6.6	6.5	6.8	7.0	6.6	6.6	6.6	6.6	6.5	6.1	6.4				
30.0	5.6	5.5	5.8	6.1	5.6	5.7	5.7	5.7	5.7	5.7	5.6				
32.0	4.8	4.7	5.0	5.2	4.8	4.9	4.8	4.9	4.8	4.9	4.7				
34.0	4.2	4.1	4.3	4.5	4.2	4.2	4.2	4.2	4.2	4.2	4.1				
36.0	3.6	3.6	3.8	4.0	3.7	3.7	3.7	3.7	3.7	3.7	3.6				
38.0	3.2	3.1	3.4	3.6	3.2	3.2	3.2	3.3	3.2	3.3	3.2				
40.0	2.8	2.7	2.9	3.1	2.8	2.9	2.8	2.9	2.8	2.9	2.8				
42.0	2.4	2.4	2.6	2.8	2.5	2.5	2.5	2.5	2.5	2.5	2.4				
44.0	2.1	2.0	2.3	2.5	2.1	2.2	2.2	2.2	2.1	2.2	2.1				
46.0	1.8	1.7	2.0	2.2	1.8	1.9	1.8	1.9	1.9	1.9	1.8				
48.0	1.4	1.4	1.7	1.9	1.5	1.6	1.5	1.6	1.5	1.6	1.5				
50.0	1.2	1.1	1.4	1.6	1.2	1.3	1.2	1.3	1.2	1.3	1.2				
52.0	0.9	0.8	1.1	1.4	0.9	1.0	1.0	1.0	1.0	1.0	0.9				
* n *											2!!				
1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




T	--
9.0 m/s	





8.10 x
7.87
m




[illegible]

T	--
9.0 m/s	


[illegible]

[illegible]


T	--
9.0 m/s	


[illegible]

11 (19)


[illegible]



 m		 m > t		CODE >0012<										T286.001.00012			
		59.7	56.3	60.5	61.2	63.1	55.6	59.7	63.9	51.5	55.6	59.7	63.9	56.3	60.5		
3.0																	
3.5																	
4.0																	
4.5																	
5.0																	
6.0																	
7.0																	
8.0																	
9.0		11.3				4.7			12.8	6.4			11.4				
10.0	4.9	10.9	4.9	3.2		4.3	10.8		12.4	6.0	10.9		11.0	5.0			
11.0	4.6	10.6	4.5	2.9	4.5	4.0	10.5	4.4	12.1	5.7	10.5	4.5	10.7	4.7			
12.0	4.3	10.3	4.2	2.5	4.1	3.6	10.2	4.1	11.7	5.3	10.2	4.2	10.4	4.4			
13.0	4.0	10.0	3.9	2.2	3.9	3.4	9.9	3.8	11.4	5.0	9.9	3.9	10.1	4.1			
14.0	3.7	9.7	3.6	2.0	3.6	3.1	9.6	3.5	11.1	4.7	9.6	3.6	9.8	3.8			
15.0	3.4	9.4	3.4	1.7	3.3	2.8	9.3	3.3	10.9	4.5	9.3	3.3	9.6	3.5			
16.0	3.2	8.6	3.1	1.5	3.1	2.6	8.5	3.0	10.6	4.2	8.5	3.1	9.3	3.3			
18.0	2.7	7.3	2.7	1.1	2.6	2.1	7.2	2.6	10.1	3.8	7.2	2.6	7.4	2.9			
20.0	2.3	7.0	2.3		2.3	1.8	6.9	2.2	9.7	3.4	6.9	2.2	7.1	2.5			
22.0	2.0	6.7	1.9		1.9	1.5	6.6	1.9	8.9	3.0	6.6	1.9	6.8	2.1			
24.0	1.7	6.4	1.6		1.6	1.2	6.3	1.6	7.6	2.7	6.3	1.6	6.6	1.8			
26.0	1.4	6.2	1.4		1.3	0.9	6.0	1.3	7.4	2.4	6.1	1.3	6.3	1.6			
28.0	1.2	6.0	1.1		1.1		5.8	1.0	7.2	2.2	5.8	1.1	6.1	1.3			
30.0	0.9	5.8	0.9		0.9		5.6	0.8	6.8	2.0	5.6	0.8	5.9	1.1			
32.0		5.2					5.2		6.0	1.8	5.2		5.5	0.9			
34.0		4.5					4.5		5.3	1.6	4.6		4.8				
36.0		4.0					4.0		4.6	1.4	4.1		4.3				
38.0		3.5					3.6		4.2	1.3	3.6		3.8				
40.0		3.1					3.2		3.8	1.1	3.2		3.4				
42.0		2.8					2.8		3.4	1.0	2.8		3.0				
44.0		2.5					2.5		3.1		2.5		2.7				
46.0		2.2					2.2		2.8		2.2		2.4				
48.0		1.8					1.9		2.5		2.0		2.1				
50.0		1.6					1.6				1.7		1.9				
52.0		1.3					1.4				1.4		1.6				
1	92 -	46 -	92 -	100 -	92 -	0 +	46 -	92 -	0 +	0 +	46 -	92 -	46 -	92 -			
2	92 +																




T	--
9.0 m/s	

[illegible]


14 (19)

T	--
9.0 m/s	

[illegible]


15 (19)

T	--
9.0 m/s	

[illegible]


16 (19)

T	--
9.0 m/s	

[illegible]


17 (19)

T	--
9.0 m/s	


[illegible]

18 (19)


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]



EN 13000 / ASME B30.5

T	--
9.0 m/s	



	 m > t				CODE >0017<								T286.001.00017	
	49.4	49.4	49.4	49.4	51.5	51.5	51.5	53.5	53.5	53.5	53.5	53.5	55.6	55.6
3.0														
3.5														
4.0														
4.5														
5.0														
6.0														
7.0														
8.0	17.4	16.6	21.4	19.3										
9.0	17.1	16.4	21.3	19.1	15.5	16.1	14.0	17.4	17.2	16.5	14.7	15.6	14.4	12.7
10.0	16.7	16.0	20.9	18.8	15.2	15.8	13.7	17.4	17.1	16.5	14.5	15.4	14.3	12.5
11.0	16.2	15.6	20.6	18.4	14.9	15.5	13.4	17.4	17.0	16.3	14.3	15.2	14.1	12.3
12.0	15.7	15.2	20.1	17.8	14.5	15.0	13.0	17.3	16.8	16.1	14.1	14.8	13.9	12.0
13.0	15.2	14.7	19.3	17.2	14.1	14.6	12.6	17.1	16.6	15.8	13.8	14.5	13.6	11.7
14.0	14.6	14.1	17.9	16.5	13.7	14.1	12.1	16.7	16.2	15.4	13.4	14.1	13.3	11.4
15.0	14.1	13.6	16.3	15.9	13.3	13.6	11.7	15.5	15.7	15.0	13.0	13.7	12.9	11.1
16.0	13.6	13.1	15.0	15.3	12.8	13.1	11.3	14.2	14.5	14.6	12.6	13.3	12.6	10.8
18.0	12.6	12.2	12.8	13.4	11.9	12.0	10.5	12.0	12.3	12.8	11.8	12.4	11.8	10.2
20.0	11.6	11.3	10.9	11.5	11.1	11.1	9.8	10.3	10.6	11.0	11.1	11.2	10.9	9.6
22.0	10.2	10.4	9.4	10.0	10.0	9.9	9.2	8.8	9.1	9.5	10.0	9.7	9.4	9.0
24.0	8.7	9.0	7.9	8.5	8.6	8.5	8.6	7.5	7.8	8.2	8.6	8.3	8.1	8.4
26.0	7.5	7.7	6.7	7.2	7.4	7.3	7.7	6.3	6.5	6.9	7.3	7.1	6.9	7.4
28.0	6.4	6.6	5.6	6.1	6.3	6.2	6.7	5.2	5.5	5.9	6.3	6.0	5.9	6.3
30.0	5.5	5.7	4.7	5.3	5.4	5.3	5.8	4.4	4.6	5.0	5.4	5.1	5.0	5.4
32.0	4.7	5.0	4.1	4.5	4.6	4.5	5.0	3.8	4.0	4.3	4.6	4.4	4.3	4.7
34.0	4.1	4.3	3.5	4.0	4.1	4.0	4.4	3.2	3.4	3.7	4.0	3.9	3.7	4.1
36.0	3.7	3.9	3.1	3.5	3.6	3.5	3.9	2.8	3.0	3.3	3.6	3.4	3.3	3.6
38.0	3.3	3.5	2.7	3.1	3.2	3.1	3.5	2.4	2.5	2.9	3.2	3.0	2.9	3.2
40.0	2.9	3.1	2.3	2.7	2.8	2.8	3.1	1.9	2.2	2.5	2.8	2.6	2.5	2.8
42.0	2.6	2.8	1.9	2.4	2.5	2.4	2.8	1.5	1.8	2.2	2.5	2.3	2.2	2.5
44.0	2.3	2.5	1.6	2.1	2.2	2.1	2.5	1.2	1.4	1.8	2.2	1.9	1.8	2.2
46.0	2.0	2.2	1.3	1.8	1.9	1.8	2.3	0.8	1.1	1.5	1.9	1.6	1.5	2.0
48.0					1.6	1.5	2.0		0.8	1.2	1.6	1.3	1.2	1.7
50.0										1.0	1.3	1.1	1.0	1.4
52.0														1.2
1	0 +	0 +	46 +	0 +	0 +	0 +	0 +	92 +	92 +	46 +	0 +	46 +	46 +	0 +
2	92 +	46 +	92 +	92 +	92 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	92 +
3	46 +	92 +	92 +	92 +	100 +	100 +	92 +	92 +	46 +	92 +	92 +	46 +	100 +	92 +
4	92 +	92 +	46 +	46 +	46 +	46 +	100 +	46 +	46 +	46 +	92 +	92 +	46 +	100 +
5	92 +	92 +	46 +	92 +	100 +	92 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +
% 6	92 +	92 +	92 +	92 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +



T	--
9.0 m/s	



8.10 x
7.87
m






EN 13000 / ASME B30.5

T	--
9.0 m/s	



			CODE >0017<										T286.001.00017		
	m	55.6	55.6	56.3	56.3	56.3	57.1	57.6	57.6	57.6	59.7	59.7	59.7	59.7	60.5
3.0															
3.5															
4.0															
4.5															
5.0															
6.0															
7.0															
8.0															
9.0		14.1	13.1		12.6	13.7									
10.0		13.9	13.0	12.1	12.5	13.6	11.9	14.2	13.7	13.1	12.5	12.4	11.3	11.7	11.2
11.0		13.8	12.9	11.9	12.3	13.4	11.7	14.2	13.6	13.0	12.4	12.3	11.2	11.6	11.1
12.0		13.6	12.7	11.7	12.1	13.2	11.5	14.2	13.4	12.9	12.3	12.2	11.1	11.6	10.9
13.0		13.3	12.5	11.5	11.8	13.0	11.2	14.1	13.3	12.7	12.2	12.1	10.9	11.4	10.8
14.0		13.0	12.2	11.2	11.5	12.7	11.0	13.9	13.0	12.5	12.0	11.9	10.7	11.3	10.6
15.0		12.7	11.9	10.9	11.2	12.5	10.7	13.7	12.8	12.3	11.8	11.7	10.5	11.1	10.4
16.0		12.4	11.5	10.6	10.9	12.2	10.5	13.4	12.5	12.0	11.6	11.5	10.3	10.9	10.2
18.0		11.7	10.8	10.0	10.3	11.5	9.9	11.9	11.9	11.4	11.1	11.0	9.8	10.4	9.7
20.0		10.9	10.0	9.4	9.6	10.8	9.3	10.3	10.4	10.6	10.1	10.1	9.3	9.7	9.2
22.0		9.4	9.2	8.8	9.0	9.4	8.7	8.8	8.9	9.3	8.7	8.7	8.8	9.0	8.7
24.0		8.2	8.4	8.2	8.3	8.1	8.1	7.6	7.7	8.1	7.5	7.6	8.1	8.0	7.8
26.0		7.0	7.3	7.4	7.3	6.9	7.3	6.5	6.6	7.0	6.5	6.5	7.0	7.0	6.8
28.0		5.9	6.3	6.3	6.2	5.9	6.2	5.4	5.5	5.9	5.4	5.5	6.0	5.9	5.7
30.0		5.0	5.4	5.4	5.3	5.0	5.4	4.6	4.7	5.0	4.6	4.6	5.1	5.0	4.8
32.0		4.3	4.6	4.6	4.6	4.3	4.6	3.9	4.0	4.3	3.9	4.0	4.4	4.3	4.2
34.0		3.8	4.1	4.1	4.0	3.8	4.0	3.4	3.5	3.8	3.4	3.4	3.8	3.8	3.7
36.0		3.3	3.6	3.6	3.5	3.3	3.6	2.9	3.0	3.3	2.9	3.0	3.4	3.3	3.2
38.0		2.9	3.2	3.2	3.1	2.9	3.2	2.5	2.6	2.9	2.5	2.6	3.0	2.9	2.8
40.0		2.5	2.8	2.8	2.8	2.5	2.8	2.1	2.2	2.5	2.1	2.2	2.6	2.6	2.4
42.0		2.2	2.5	2.5	2.4	2.2	2.5	1.8	1.9	2.2	1.8	1.9	2.2	2.2	2.1
44.0		1.9	2.2	2.2	2.1	1.9	2.2	1.4	1.5	1.9	1.4	1.5	2.0	1.9	1.8
46.0		1.6	1.9	1.9	1.8	1.5	1.9	1.1	1.2	1.6	1.1	1.2	1.7	1.6	1.4
48.0		1.3	1.6	1.6	1.5	1.2	1.6		0.9	1.3		0.8	1.4	1.3	1.1
50.0		1.0	1.3	1.4	1.3	1.0	1.3			1.0			1.1	1.0	0.8
52.0			1.1	1.1	1.1		1.1						0.8		
1	46 +	0 +	0 +	46 +	46 +	0 +	92 +	92 +	46 +	92 +	92 +	46 +	46 +	92 +	
2	92 +	100 +	92 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	92 +	92 +	100 +	46 +	
3	100 +	92 +	100 +	100 +	100 +	100 +	92 +	46 +	92 +	100 +	100 +	92 +	92 +	100 +	
4	46 +	92 +	100 +	100 +	46 +	100 +	46 +	92 +	92 +	46 +	46 +	100 +	92 +	100 +	
5	100 +	100 +	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	
% 6	100 +	100 +	100 +	100 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	100 +	



T	--
9.0 m/s	



8.10 x
7.87
m









EN 13000 / ASME B30.5

T	--
9.0 m/s	


				CODE >0017<										T286.001.00017		
				60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6
3.0													18.5	14.7	11.2	
3.5													18.5	14.6	10.8	
4.0													18.4	14.5	10.5	
4.5													18.4	14.3	10.2	
5.0													18.4	14.2	9.8	
6.0													18.4	14.1	9.0	
7.0													18.4	13.9	7.3	
8.0													18.4	13.9	7.0	
9.0													18.4	13.9	6.7	
10.0		12.0	11.7	10.9	10.7								18.4	13.9	6.4	
11.0		12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0		11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0		11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	18.4	13.9	5.7	
14.0		11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	18.4	13.9	5.5	
15.0		11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		13.9	5.4	
16.0		11.2	10.6	10.0	9.8	11.0	10.2	9.8	9.4	9.0	7.9	8.7		13.9	5.2	
18.0		10.8	10.1	9.6	9.4	10.6	9.9	9.5	9.1	8.7	7.7	8.4		11.3	5.1	
20.0		10.1	9.5	9.1	9.0	9.9	9.6	9.1	8.8	8.3	7.5	8.0			5.1	
22.0		8.6	8.5	8.6	8.5	8.6	8.6	8.4	8.3	7.9	7.2	7.6			5.1	
24.0		7.5	7.3	7.6	7.9	7.5	7.4	7.4	7.4	7.3	6.8	7.1				
26.0		6.4	6.4	6.7	6.9	6.5	6.5	6.4	6.4	6.3	6.3	6.2				
28.0		5.4	5.3	5.6	5.9	5.4	5.5	5.5	5.5	5.5	5.5	5.4				
30.0		4.6	4.5	4.8	5.0	4.6	4.7	4.7	4.7	4.6	4.6	4.5				
32.0		3.9	3.9	4.1	4.3	4.0	4.0	4.0	4.0	4.0	4.0	3.9				
34.0		3.4	3.3	3.6	3.8	3.4	3.5	3.4	3.5	3.5	3.5	3.4				
36.0		2.9	2.9	3.1	3.3	3.0	3.0	3.0	3.0	3.0	3.0	2.9				
38.0		2.5	2.5	2.7	2.9	2.6	2.6	2.6	2.6	2.6	2.6	2.5				
40.0		2.2	2.1	2.3	2.5	2.2	2.2	2.2	2.2	2.2	2.2	2.2				
42.0		1.8	1.8	2.0	2.2	1.9	1.9	1.9	1.9	1.9	1.9	1.8				
44.0		1.5	1.4	1.7	1.9	1.5	1.6	1.6	1.6	1.6	1.6	1.5				
46.0		1.2	1.1	1.4	1.6	1.2	1.3	1.2	1.3	1.2	1.3	1.2				
48.0				1.1	1.3	0.8	0.9	0.9	1.0	0.9	0.9	0.8				
50.0					1.1											
52.0																
* n *												2!!				
	1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
	2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
	3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
	4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




T	--
9.0 m/s	




T_286_001_00017_00_000

[illegible]


[illegible]

T	--
9.0 m/s	

[illegible]

10 (16)


T	--
9.0 m/s	

[illegible]

11 (16)




T	--
9.0 m/s	

[illegible]


12 (16)

T	--
9.0 m/s	

[illegible]


13 (16)

T	--
9.0 m/s	

[illegible]


14 (16)

T	--
9.0 m/s	

[illegible]

15 (16)


T	--
9.0 m/s	

[illegible]


16 (16)

r_286_001_00017_00_000


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


5 (14)



T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]


11 (14)


T	--
9.0 m/s	

[illegible]




 m		 m > < t		CODE >0038<								T286.001.00038				
				60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6
3.0													18.5	14.7	11.2	
	3.5												18.5	14.6	10.8	
4.0													18.4	14.5	10.5	
	4.5												18.4	14.3	10.2	
5.0													18.4	14.2	9.8	
	6.0												18.4	14.1	9.0	
7.0													18.4	13.9	7.3	
	8.0												18.4	13.9	7.0	
9.0													18.4	13.9	6.7	
	10.0	12.0	11.7	10.9	10.7								18.4	13.9	6.4	
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1		
	12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	16.2	13.9	5.9	
13.0	11.4	11.3	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	13.8	13.1	5.7		
	14.0	10.3	10.1	10.3	10.2	10.3	10.0	9.8	9.6	9.1	8.0	8.9	11.8	11.1	5.5	
15.0	9.2	9.1	9.5	9.8	9.2	9.1	9.0	9.0	8.8	8.0	8.6		9.4	5.4		
	16.0	8.3	8.1	8.5	8.8	8.2	8.2	8.1	8.2	7.9	7.8	7.8		8.0	5.2	
18.0	6.7	6.6	6.9	7.2	6.7	6.7	6.6	6.6	6.5	6.5	6.4		5.8	5.0		
	20.0	5.4	5.3	5.7	6.0	5.4	5.5	5.4	5.4	5.3	5.3	5.2			3.5	
22.0	4.4	4.3	4.6	4.9	4.4	4.4	4.4	4.5	4.4	4.3	4.2			2.3		
	24.0	3.5	3.4	3.8	4.1	3.5	3.6	3.5	3.6	3.5	3.5	3.4				
26.0	2.8	2.7	3.1	3.3	2.8	2.9	2.8	2.9	2.8	2.8	2.7					
	28.0	2.2	2.1	2.4	2.7	2.2	2.2	2.2	2.2	2.2	2.2	2.1				
30.0	1.6	1.5	1.9	2.2	1.6	1.7	1.6	1.7	1.6	1.7	1.5					
	32.0	1.0	0.8	1.3	1.7	1.0	1.1	1.0	1.1	1.0	1.0	0.9				
34.0				1.2												
	36.0															
38.0																
	40.0															
42.0																
* n *											2!!					
 %	1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
	2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
	3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
	4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




[illegible]




T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

10 (14)


[illegible]

T	--
9.0 m/s	

[illegible]


12 (14)

T	--
9.0 m/s	


[illegible]

13 (14)


T	--
9.0 m/s	


[illegible]

14 (14)


[illegible]

T	--
9.0 m/s	


[illegible]

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	


[illegible]





T	--
9.0 m/s	

				CODE >0048<										T286.001.00048		
m		m > < t														
		60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7	
	3.0												18.5	14.7	11.2	
	3.5												18.5	14.6	10.8	
	4.0												18.4	14.5	10.5	
	4.5												18.4	14.3	10.2	
	5.0												18.4	14.2	9.8	
	6.0												18.4	14.1	9.0	
	7.0												18.4	13.9	7.3	
	8.0												18.4	13.9	7.0	
	9.0												18.4	13.9	6.7	
	10.0	10.7	10.5	10.7	10.6								15.4	13.4	6.4	
	11.0	9.1	8.9	9.3	9.7	9.0	9.0	8.9	9.0	8.7	8.1	8.5	12.6	10.9	6.1	
	12.0	7.8	7.7	8.1	8.4	7.7	7.7	7.7	7.7	7.5	7.6	7.4	10.1	8.8	5.9	
	13.0	6.6	6.5	6.9	7.3	6.6	6.6	6.6	6.7	6.4	6.5	6.3	8.2	7.1	5.5	
	14.0	5.7	5.5	5.9	6.3	5.7	5.7	5.6	5.7	5.5	5.6	5.4	6.6	5.7	4.3	
	15.0	4.9	4.8	5.2	5.5	4.9	4.9	4.8	4.9	4.7	4.8	4.7		4.4	3.2	
	16.0	4.2	4.1	4.4	4.8	4.1	4.2	4.1	4.2	4.1	4.1	4.0		3.5	2.1	
18.0	3.0	2.9	3.2	3.6	3.0	3.0	3.0	3.0	2.9	3.0	2.8		1.7			
20.0	1.9	1.7	2.3	2.6	1.9	2.1	2.0	2.0	1.9	1.9	1.7					
22.0			1.3	1.7	1.0	1.1	1.0	1.1								
24.0																
26.0																
28.0																
30.0																
32.0																




[illegible]

[illegible]


[illegible]

T	--
9.0 m/s	

[illegible]


11 (14)

T	--
9.0 m/s	


[illegible]


12 (14)


T	--
9.0 m/s	




13 (14)

[illegible]

[illegible]

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	





 m		 m > t		CODE >0049<										T286.001.00101			
		41.1	41.1	41.1	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	49.4	49.4	49.4	
3.0																	
3.5																	
4.0																	
4.5																	
5.0																	
6.0																	
7.0	31.8	28.8	23.5	27.7	26.9	23.7	21.9	20.3	24.9	23.0							
8.0	30.6	27.6	22.8	27.7	26.9	23.0	21.5	19.7	24.4	22.4	18.5	22.1	20.4	20.0			
9.0	29.0	26.1	21.8	27.7	26.6	22.4	21.0	19.0	23.8	21.8	17.9	22.1	20.1	19.7			
10.0	27.6	24.8	21.0	27.3	25.8	21.7	20.3	18.2	23.0	21.1	17.3	22.1	19.8	19.4			
11.0	26.1	23.5	20.0	26.6	25.0	20.9	19.6	17.4	22.2	20.3	16.6	22.0	19.4	18.9			
12.0	24.6	22.2	19.0	25.8	24.0	20.1	18.9	16.7	21.2	19.6	15.9	21.7	18.9	18.4			
13.0	23.3	21.0	18.0	24.7	22.9	19.3	18.0	15.9	20.2	18.9	15.2	21.1	18.4	17.8			
14.0	22.0	19.9	17.1	23.7	21.9	18.6	17.2	15.2	19.3	18.2	14.6	20.4	17.8	17.0			
15.0	20.8	18.9	16.2	21.9	20.9	17.9	16.4	14.6	18.4	17.4	13.9	19.8	17.2	16.4			
16.0	19.7	18.0	15.3	20.1	20.0	17.2	15.6	13.9	17.5	16.7	13.3	19.1	16.6	15.7			
18.0	17.8	16.3	13.8	17.2	17.7	15.8	14.3	12.8	15.8	15.5	12.1	16.8	15.5	14.5			
20.0	16.0	14.9	12.5	14.9	15.4	14.7	13.1	11.8	14.5	14.3	11.1	14.5	14.5	13.4			
22.0	13.7	13.6	11.4	12.9	13.4	13.5	12.0	10.8	13.2	13.3	10.2	12.6	13.4	12.5			
24.0	11.9	12.2	10.5	11.1	11.5	12.0	11.1	10.0	11.8	12.1	9.3	11.0	11.7	11.5			
26.0	10.3	10.6	9.6	9.6	10.0	10.5	10.3	9.3	10.3	10.6	8.6	9.4	10.2	10.3			
28.0	9.0	9.3	8.8	8.3	8.7	9.2	9.5	8.7	9.0	9.3	7.9	8.1	8.8	9.0			
30.0	7.9	8.2	8.2	7.2	7.6	8.0	8.4	8.1	7.9	8.1	7.3	7.0	7.7	7.9			
32.0	7.0	7.3	7.6	6.2	6.6	7.1	7.5	7.6	6.9	7.2	6.8	6.1	6.8	6.9			
34.0	6.1	6.4	6.9	5.4	5.8	6.2	6.6	6.8	6.1	6.4	6.3	5.2	5.9	6.1			
36.0	5.4	5.7	6.2	4.7	5.1	5.5	5.9	6.1	5.3	5.6	5.9	4.6	5.2	5.4			
38.0	4.8	5.1	5.6	4.2	4.5	4.9	5.3	5.4	4.7	5.0	5.5	4.0	4.6	4.8			
40.0				3.7	4.0	4.4	4.7	4.9	4.2	4.5	4.9	3.6	4.1	4.3			
42.0				3.4	3.6	4.0	4.3	4.4	3.9	4.1	4.5	3.2	3.7	3.9			
44.0												2.8	3.4	3.5			
46.0												2.4	3.1	3.2			
48.0																	





T	--
9.0 m/s	


 m		 m > t		CODE >0049<										T286.001.00101			
		49.4	49.4	49.4	49.4	51.5	51.5	51.5	53.5	53.5	53.5	53.5	53.5	55.6	55.6		
3.0																	
3.5																	
4.0																	
4.5																	
5.0																	
6.0																	
7.0																	
8.0	17.4	16.6	21.4	19.3													
9.0	17.1	16.4	21.3	19.1	15.5	16.1	14.0	17.4	17.2	16.5	14.7	15.6	14.4	12.7			
10.0	16.7	16.0	20.9	18.8	15.2	15.8	13.7	17.4	17.1	16.5	14.5	15.4	14.3	12.5			
11.0	16.2	15.6	20.6	18.4	14.9	15.5	13.4	17.4	17.0	16.3	14.3	15.2	14.1	12.3			
12.0	15.7	15.2	20.1	17.8	14.5	15.0	13.0	17.3	16.8	16.1	14.1	14.8	13.9	12.0			
13.0	15.2	14.7	19.5	17.2	14.1	14.6	12.6	17.1	16.6	15.8	13.8	14.5	13.6	11.7			
14.0	14.6	14.1	18.7	16.5	13.7	14.1	12.1	16.8	16.2	15.4	13.4	14.1	13.3	11.4			
15.0	14.1	13.6	18.0	15.9	13.3	13.6	11.7	16.5	15.9	15.0	13.0	13.7	12.9	11.1			
16.0	13.6	13.1	17.3	15.3	12.8	13.1	11.3	16.0	15.5	14.6	12.6	13.3	12.6	10.8			
18.0	12.6	12.2	16.0	14.1	11.9	12.0	10.5	15.1	14.7	13.7	11.8	12.5	11.8	10.2			
20.0	11.8	11.3	14.7	13.1	11.1	11.1	9.8	14.0	13.9	12.8	11.1	11.7	11.0	9.6			
22.0	11.0	10.5	13.1	12.0	10.3	10.1	9.2	12.4	12.7	12.0	10.4	11.0	10.2	9.0			
24.0	10.2	9.7	11.4	11.1	9.6	9.3	8.6	10.9	11.2	11.2	9.7	10.3	9.5	8.5			
26.0	9.5	9.0	9.9	10.2	9.0	8.6	8.1	9.5	9.7	10.1	9.1	9.7	8.8	8.1			
28.0	9.0	8.4	8.6	9.1	8.4	7.9	7.6	8.2	8.4	8.8	8.5	8.9	8.2	7.6			
30.0	8.2	7.8	7.5	8.0	7.9	7.3	7.2	7.1	7.3	7.7	8.0	7.9	7.6	7.2			
32.0	7.3	7.3	6.5	7.0	7.2	6.7	6.8	6.1	6.4	6.8	7.1	6.9	6.7	6.8			
34.0	6.4	6.7	5.7	6.2	6.4	6.2	6.4	5.3	5.5	5.9	6.3	6.1	5.9	6.4			
36.0	5.7	5.9	5.0	5.5	5.6	5.5	6.0	4.6	4.8	5.2	5.6	5.3	5.2	5.6			
38.0	5.1	5.3	4.4	4.9	5.0	4.9	5.4	4.1	4.2	4.6	4.9	4.7	4.6	5.0			
40.0	4.5	4.7	3.9	4.4	4.4	4.4	4.8	3.6	3.8	4.1	4.4	4.2	4.1	4.5			
42.0	4.1	4.3	3.5	3.9	4.0	3.9	4.3	3.2	3.4	3.7	4.0	3.8	3.7	4.0			
44.0	3.7	3.9	3.2	3.6	3.6	3.6	4.0	2.8	3.0	3.3	3.6	3.4	3.3	3.7			
46.0	3.4	3.6	2.9	3.3	3.3	3.3	3.6	2.5	2.7	3.0	3.3	3.1	3.0	3.3			
48.0					3.0	3.0	3.3	2.1	2.4	2.7	3.0	2.8	2.7	3.0			
50.0								1.8									




5 (19)

T	--
9.0 m/s	



 m		 m > t		CODE >0049<										T286.001.00101		
		55.6	55.6	56.3	56.3	56.3	57.1	57.6	57.6	57.6	59.7	59.7	59.7	59.7	60.5	
3.0																
3.5																
4.0																
4.5																
5.0																
6.0																
7.0																
8.0																
9.0	14.1	13.1		12.6	13.7											
10.0	13.9	13.0	12.1	12.5	13.6	11.9	14.2	13.7	13.1	12.5	12.4	11.3	11.7	11.2		
11.0	13.8	12.9	11.9	12.3	13.4	11.7	14.2	13.6	13.0	12.4	12.3	11.2	11.6	11.1		
12.0	13.6	12.7	11.7	12.1	13.2	11.5	14.2	13.4	12.9	12.3	12.2	11.1	11.6	10.9		
13.0	13.3	12.5	11.5	11.8	13.0	11.2	14.1	13.3	12.7	12.2	12.1	10.9	11.4	10.8		
14.0	13.0	12.2	11.2	11.5	12.7	11.0	13.9	13.0	12.5	12.0	11.9	10.7	11.3	10.6		
15.0	12.7	11.9	10.9	11.2	12.5	10.7	13.7	12.8	12.3	11.8	11.7	10.5	11.1	10.4		
16.0	12.4	11.5	10.6	10.9	12.2	10.5	13.4	12.5	12.0	11.6	11.5	10.3	10.9	10.2		
18.0	11.7	10.8	10.0	10.3	11.5	9.9	12.9	11.9	11.4	11.1	11.0	9.8	10.4	9.7		
20.0	10.9	10.0	9.4	9.6	10.8	9.3	12.3	11.3	10.8	10.5	10.5	9.3	9.7	9.2		
22.0	10.3	9.2	8.8	9.0	10.0	8.7	11.6	10.7	10.2	9.9	9.9	8.9	9.1	8.7		
24.0	9.6	8.5	8.2	8.4	9.3	8.1	10.7	10.1	9.6	9.3	9.4	8.4	8.5	8.2		
26.0	9.1	7.9	7.7	7.8	8.7	7.6	9.6	9.6	9.1	8.7	8.9	8.0	7.9	7.7		
28.0	8.5	7.3	7.2	7.3	8.1	7.0	8.4	8.5	8.6	8.1	8.3	7.6	7.4	7.3		
30.0	7.8	6.7	6.7	6.9	7.5	6.5	7.3	7.4	7.7	7.2	7.3	7.2	6.9	6.9		
32.0	6.8	6.2	6.3	6.4	6.8	6.0	6.3	6.4	6.8	6.3	6.3	6.8	6.4	6.4		
34.0	6.0	5.8	5.9	6.0	6.0	5.6	5.5	5.6	6.0	5.5	5.5	6.0	6.0	5.8		
36.0	5.3	5.3	5.5	5.5	5.2	5.1	4.8	4.9	5.2	4.8	4.8	5.3	5.3	5.1		
38.0	4.6	4.9	5.0	4.9	4.6	4.8	4.2	4.3	4.6	4.2	4.3	4.7	4.6	4.5		
40.0	4.1	4.4	4.4	4.4	4.1	4.4	3.7	3.8	4.1	3.8	3.8	4.2	4.2	4.0		
42.0	3.7	4.0	4.0	3.9	3.7	4.0	3.3	3.4	3.7	3.3	3.4	3.8	3.7	3.6		
44.0	3.4	3.6	3.7	3.6	3.3	3.6	3.0	3.1	3.4	3.0	3.0	3.4	3.4	3.2		
46.0	3.0	3.3	3.3	3.3	3.0	3.3	2.6	2.7	3.0	2.6	2.7	3.1	3.0	2.9		
48.0	2.7	3.0	3.0	2.9	2.7	3.0	2.3	2.4	2.7	2.3	2.4	2.8	2.7	2.6		
50.0	2.5	2.7	2.8	2.7	2.4	2.7	2.0	2.1	2.5	2.0	2.1	2.5	2.5	2.3		
52.0	2.2															









EN 13000 / ASME B30.5

T	--
9.0 m/s	

	CODE >0049< T286.001.00101														
	m	60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7
3.0													18.5	14.7	11.2
3.5													18.5	14.6	10.8
4.0													18.4	14.5	10.5
4.5													18.4	14.3	10.2
5.0													18.4	14.2	9.8
6.0													18.4	14.1	9.0
7.0													18.4	13.9	7.3
8.0													18.4	13.9	7.0
9.0													18.4	13.9	6.7
10.0	12.0	11.7	10.9	10.7									18.4	13.9	6.4
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0	11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	18.4	13.9	5.7	
14.0	11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	18.4	13.9	5.5	
15.0	11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		13.9	5.4	
16.0	11.2	10.6	10.0	9.8	11.0	10.2	9.8	9.4	9.0	7.9	8.7		13.9	5.2	
18.0	10.8	10.1	9.6	9.4	10.6	9.9	9.5	9.1	8.7	7.7	8.4		13.9	5.1	
20.0	10.3	9.5	9.1	9.0	10.2	9.6	9.1	8.8	8.3	7.5	8.0			5.1	
22.0	9.7	8.9	8.6	8.5	9.8	9.2	8.7	8.4	8.0	7.2	7.6			5.1	
24.0	9.1	8.3	8.1	8.0	9.3	8.8	8.2	8.1	7.7	6.9	7.2				
26.0	8.5	7.7	7.7	7.5	8.8	8.4	7.7	7.7	7.3	6.5	6.8				
28.0	8.0	7.2	7.2	7.1	8.3	8.0	7.3	7.4	6.9	6.1	6.4				
30.0	7.3	6.7	6.8	6.6	7.3	7.3	6.8	7.1	6.5	5.8	5.9				
32.0	6.3	6.1	6.3	6.2	6.3	6.4	6.3	6.4	6.1	5.4	5.5				
34.0	5.5	5.4	5.7	5.8	5.5	5.6	5.6	5.6	5.6	5.1	5.2				
36.0	4.8	4.7	5.0	5.2	4.8	4.9	4.8	4.9	4.8	4.7	4.8				
38.0	4.2	4.2	4.4	4.6	4.3	4.3	4.3	4.3	4.3	4.3	4.2				
40.0	3.8	3.7	3.9	4.1	3.8	3.8	3.8	3.8	3.8	3.8	3.8				
42.0	3.4	3.3	3.5	3.7	3.4	3.4	3.4	3.4	3.4	3.4	3.3				
44.0	3.0	2.9	3.2	3.4	3.0	3.1	3.0	3.1	3.0	3.1	3.0				
46.0	2.7	2.6	2.8	3.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7				
48.0	2.4	2.3	2.5	2.7	2.4	2.4	2.4	2.4	2.4	2.4	2.3				
50.0	2.1	2.0	2.3	2.5	2.1	2.2	2.1	2.2	2.1	2.1	2.1				
52.0	1.7	1.7	2.0	2.2	1.8	1.9	1.8	1.9	1.8	1.9	1.8				
* n *											2!!				
1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	



T	--
9.0 m/s	




T_286_001_00101_00_000



EN 13000 / ASME B30.5

T	--
9.0 m/s	



				CODE >0049<										T286.001.00101	
		m	t	16.4	20.6	24.7	20.6	16.4	20.6	24.7	28.8	20.6	24.7	28.8	32.9
	3.0	19.9	16.2	14.4	14.4	21.2	19.3	15.9		15.5	18.9			22.3	20.6
	3.5	19.8	16.0	14.2	14.1	21.1	19.1	15.7	14.0	15.1	18.7			22.2	20.4
	4.0	19.8	15.9	14.0	13.8	21.0	19.0	15.5	13.8	14.8	18.4	15.2		22.1	20.3
	4.5	19.7	15.8	13.8	13.5	21.0	18.8	15.3	13.6	14.5	18.2	15.0	13.5	22.1	20.1
	5.0	19.7	15.7	13.7	13.2	20.9	18.7	15.2	13.4	14.3	16.7	14.8	13.3	22.0	20.0
	6.0	19.7	15.5	13.4	12.8	20.9	18.4	14.9	13.1	13.7	16.1	14.5	12.9	22.0	19.7
	7.0	19.7	15.3	13.2	12.3	20.9	18.3	14.6	12.8	13.3	15.8	14.1	12.6	22.0	19.5
	8.0	19.7	15.3	13.0	11.9	20.9	18.1	14.4	12.5	12.9	15.6	13.9	12.2	22.0	19.4
	9.0	19.7	15.2	12.8	11.6	20.9	16.5	14.2	12.2	12.5	15.4	13.6	12.0	22.0	19.3
	10.0	19.7	15.2	12.6	11.3	20.9	16.5	14.1	12.0	12.2	15.2	13.4	11.7	22.0	19.3
	11.0	19.7	15.2	12.5	11.1	20.9	16.5	14.0	11.8	12.0	15.1	13.1	11.4	22.0	19.3
	12.0	19.7	15.2	12.5	10.9	20.9	16.5	13.9	11.7	11.8	15.0	13.0	11.2	22.0	19.3
	13.0	19.7	15.2	12.4	10.8	20.9	16.5	13.8	11.5	11.6	14.9	12.8	11.0	22.0	19.3
	14.0	19.7	15.2	12.4	10.7	20.9	16.5	13.8	11.4	11.6	14.9	12.7	10.8	22.0	19.3
	15.0		15.2	12.4	10.7		16.5	13.8	11.3	11.5	14.9	12.6	10.7		19.3
	16.0		15.2	12.4	10.7		16.5	13.8	11.2	11.5	14.9	12.5	10.5		19.3
	18.0		15.2	12.4	10.7		16.5	13.8	11.2	11.5	14.9	12.4	10.3		18.5
	20.0			12.4				13.8	11.2		14.9	12.4	10.1		
	22.0			11.3				12.4	11.2		13.1	12.4	10.1		
	24.0								10.0			10.9	10.1		
	26.0								8.6			9.5	9.0		
	28.0												7.7		
	30.0												6.7		
	32.0														
	34.0														
	36.0														
	38.0														
	40.0														
	42.0														
	44.0														
	46.0														
	48.0														
	50.0														
	52.0														
	1	0 +	0 +	46 -	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +	46 -	0 +	0 +
	2	0 +	46 -	46 +	0 +	0 +	0 +	46 -	46 +	0 +	0 +	46 -	46 +	0 +	0 +
	3	46 -	46 +	46 +	92 -	0 +	46 -	46 +	46 +	0 +	46 -	46 +	46 +	0 +	0 +
	4	0 +	0 +	0 +	0 +	46 -	46 +	46 +	46 +	92 -	92 +	92 +	92 +	0 +	46 -
	5	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	46 -	46 +
	% 6	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +	0 +



T	--
9.0 m/s	





8.10 x
6.51
m






T	--
9.0 m/s	

 m		 m > t		CODE >0049<										T286.001.00101			
		24.7	28.8	32.9	16.4	20.6	24.7	24.7	28.8	32.9	37.0	41.1	20.6	24.7	28.8		
3.0	19.0			23.2	21.7	19.1	20.3					18.5	21.3				
3.5	18.8	15.6		23.1	21.5	18.9	20.0	18.5				17.7	21.0				
4.0	18.6	15.4		23.0	21.3	18.7	19.8	18.3				16.5	20.8	19.5			
4.5	18.4	15.2	13.5	23.0	21.1	18.5	19.6	16.9	15.0			16.2	20.6	19.3			
5.0	18.2	15.0	13.3	22.9	21.0	18.3	19.4	16.2	14.8			15.9	20.4	19.1			
6.0	16.2	14.6	13.0	22.9	20.8	16.3	19.0	15.9	14.4	12.8	7.1	15.3	20.0	18.6			
7.0	16.0	14.3	12.6	22.9	20.6	16.1	18.7	15.6	14.1	12.4	6.6	14.8	19.7	18.2			
8.0	15.7	14.0	12.3	22.9	20.4	15.9	18.4	15.3	13.7	12.1	6.2	14.4	19.4	16.4			
9.0	15.5	13.8	12.0	22.9	20.3	15.7	18.2	15.0	13.4	11.8	5.8	14.0	19.1	16.1			
10.0	15.4	13.5	11.7	22.9	20.3	15.5	16.4	14.8	13.2	11.5	5.4	13.7	18.9	15.8			
11.0	15.3	13.3	11.5	22.9	20.3	15.4	16.3	14.5	12.9	11.2	5.1	13.4	18.7	15.6			
12.0	15.2	13.1	11.3	22.9	20.3	15.3	16.2	14.4	12.7	11.0	4.8	13.2	18.6	15.4			
13.0	15.1	13.0	11.1	22.9	20.3	15.3	16.1	14.2	12.5	10.8	4.5	13.0	18.5	15.2			
14.0	15.1	12.9	10.9	22.9	20.3	15.3	16.1	14.1	12.3	10.6	4.2	12.9	18.4	15.1			
15.0	15.1	12.7	10.7		20.3	15.3	16.1	13.9	12.1	10.4	4.0	12.8	17.9	14.9			
16.0	15.1	12.7	10.6		20.3	15.3	16.1	13.9	12.0	10.2	3.8	12.8	16.9	14.8			
18.0	15.1	12.6	10.4		19.1	15.3	16.1	13.8	11.7	9.9	3.3	12.8	15.2	14.7			
20.0	15.1	12.6	10.3			15.3	16.1	13.8	11.6	9.6	3.0		13.8	14.7			
22.0	13.4	12.6	10.2			13.9	14.2	13.7	11.5	9.5	2.7		12.7	14.5			
24.0		11.2	10.2					12.2	11.5	9.4	2.4			12.9			
26.0		9.8	9.2					10.7	10.3	9.3	2.2			11.4			
28.0			7.9						9.1	8.4	2.0						
30.0			6.9						8.0	7.3	1.8						
32.0										6.4	1.7						
34.0										5.6	1.6						
36.0											1.1						
38.0																	
40.0																	
42.0																	
44.0																	
46.0																	
48.0																	
50.0																	
52.0																	
				</													






T	--
9.0 m/s	


[illegible]

10 (19)

T 9.0 m/s	--
--------------	----


[illegible]

11 (19)


r_286_001_00101_00_000




T	--
9.0 m/s	

[illegible]

13 (19)


[illegible]

T	--
9.0 m/s	

[illegible]


15 (19)

T	--
9.0 m/s	

[illegible]


16 (19)

T	--
9.0 m/s	

[illegible]


17 (19)


T	--
9.0 m/s	

[illegible]

18 (19)

r_286_001_00101_00_000




r_286_001_00112_00_000



EN 13000 / ASME B30.5

T	--
9.0 m/s	



			CODE >0060<										T286.001.00112		
	m	55.6	55.6	56.3	56.3	56.3	57.1	57.6	57.6	57.6	59.7	59.7	59.7	59.7	60.5
3.0															
3.5															
4.0															
4.5															
5.0															
6.0															
7.0															
8.0															
9.0	14.1	13.1		12.6	13.7										
10.0	13.9	13.0	12.1	12.5	13.6	11.9	14.2	13.7	13.1	12.5	12.4	11.3	11.7	11.2	
11.0	13.8	12.9	11.9	12.3	13.4	11.7	14.2	13.6	13.0	12.4	12.3	11.2	11.6	11.1	
12.0	13.6	12.7	11.7	12.1	13.2	11.5	14.2	13.4	12.9	12.3	12.2	11.1	11.6	10.9	
13.0	13.3	12.5	11.5	11.8	13.0	11.2	14.1	13.3	12.7	12.2	12.1	10.9	11.4	10.8	
14.0	13.0	12.2	11.2	11.5	12.7	11.0	13.9	13.0	12.5	12.0	11.9	10.7	11.3	10.6	
15.0	12.7	11.9	10.9	11.2	12.5	10.7	13.7	12.8	12.3	11.8	11.7	10.5	11.1	10.4	
16.0	12.4	11.5	10.6	10.9	12.2	10.5	13.1	12.5	12.0	11.6	11.5	10.3	10.9	10.2	
18.0	11.7	10.8	10.0	10.3	11.5	9.9	11.0	11.2	11.4	10.9	10.9	9.8	10.4	9.7	
20.0	10.1	10.0	9.4	9.6	10.0	9.3	9.5	9.6	10.0	9.4	9.4	9.3	9.6	9.2	
22.0	8.7	9.1	8.8	9.0	8.7	8.7	8.1	8.2	8.6	8.0	8.1	8.6	8.6	8.3	
24.0	7.5	7.9	7.9	7.9	7.5	7.9	6.9	7.1	7.5	6.9	6.9	7.5	7.4	7.2	
26.0	6.4	6.7	6.8	6.7	6.4	6.7	5.9	6.0	6.4	5.9	5.9	6.4	6.4	6.2	
28.0	5.4	5.7	5.8	5.7	5.3	5.7	4.9	5.0	5.4	4.9	4.9	5.4	5.4	5.2	
30.0	4.6	4.9	4.9	4.8	4.5	4.9	4.1	4.2	4.5	4.1	4.2	4.6	4.6	4.4	
32.0	3.9	4.2	4.3	4.2	3.9	4.2	3.6	3.7	3.9	3.5	3.6	4.0	3.9	3.8	
34.0	3.4	3.7	3.7	3.7	3.4	3.7	3.0	3.1	3.4	3.0	3.1	3.5	3.5	3.3	
36.0	3.0	3.2	3.3	3.2	3.0	3.2	2.6	2.7	3.0	2.6	2.6	3.0	3.0	2.8	
38.0	2.6	2.9	2.9	2.8	2.6	2.8	2.2	2.3	2.6	2.2	2.2	2.6	2.6	2.4	
40.0	2.2	2.5	2.5	2.5	2.2	2.5	1.8	1.9	2.2	1.8	1.9	2.3	2.3	2.1	
42.0	1.9	2.2	2.2	2.1	1.9	2.2	1.5	1.6	1.9	1.5	1.5	2.0	1.9	1.8	
44.0	1.6	1.9	1.9	1.9	1.6	1.9	1.1	1.2	1.6	1.1	1.2	1.7	1.6	1.4	
46.0	1.3	1.6	1.6	1.6	1.3	1.6		0.9	1.3			1.4	1.3	1.1	
48.0	1.0	1.3	1.4	1.3	1.0	1.3			1.0			1.1	1.0		
50.0		1.1	1.1	1.0		1.1									
52.0		0.8	0.9	0.8		0.8									
1	46 +	0 +	0 +	46 +	46 +	0 +	92 +	92 +	46 +	92 +	92 +	46 +	46 +	92 +	
2	92 +	100 +	92 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	92 +	92 +	100 +	46 +	
3	100 +	92 +	100 +	100 +	100 +	100 +	92 +	46 +	92 +	100 +	100 +	92 +	92 +	100 +	
4	46 +	92 +	100 +	100 +	46 +	100 +	46 +	92 +	92 +	46 +	46 +	100 +	92 +	100 +	
5	100 +	100 +	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	
% 6	100 +	100 +	100 +	100 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	100 +	



T	--
9.0 m/s	



8.10 x
6.51
m









EN 13000 / ASME B30.5

T	--
9.0 m/s	

				CODE >0060<										T286.001.00112		
				60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6
3.0													18.5	14.7	11.2	
3.5													18.5	14.6	10.8	
4.0													18.4	14.5	10.5	
4.5													18.4	14.3	10.2	
5.0													18.4	14.2	9.8	
6.0													18.4	14.1	9.0	
7.0													18.4	13.9	7.3	
8.0													18.4	13.9	7.0	
9.0													18.4	13.9	6.7	
10.0		12.0	11.7	10.9	10.7								18.4	13.9	6.4	
11.0		12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0		11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0		11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	18.4	13.9	5.7	
14.0		11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	17.7	13.9	5.5	
15.0		11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		13.9	5.4	
16.0		11.2	10.6	10.0	9.8	11.0	10.2	9.8	9.4	9.0	7.9	8.7		13.2	5.2	
18.0		10.7	10.1	9.6	9.4	10.6	9.9	9.5	9.1	8.7	7.7	8.4		10.4	5.1	
20.0		9.4	9.2	9.1	9.0	9.3	9.3	9.1	8.8	8.3	7.5	8.0			5.1	
22.0		8.0	7.9	8.2	8.5	8.0	7.9	7.9	7.9	7.8	7.2	7.5			5.1	
24.0		6.9	6.8	7.1	7.3	6.9	6.8	6.8	6.8	6.7	6.7	6.6				
26.0		5.9	5.8	6.1	6.4	5.9	5.9	5.8	5.9	5.8	5.8	5.7				
28.0		4.9	4.8	5.1	5.4	4.9	5.0	4.9	5.0	5.0	5.0	4.9				
30.0		4.1	4.1	4.3	4.6	4.2	4.2	4.2	4.2	4.2	4.2	4.1				
32.0		3.6	3.5	3.7	3.9	3.6	3.6	3.6	3.6	3.6	3.6	3.5				
34.0		3.1	3.0	3.2	3.4	3.1	3.1	3.1	3.1	3.1	3.1	3.0				
36.0		2.6	2.6	2.8	3.0	2.6	2.7	2.6	2.7	2.6	2.7	2.6				
38.0		2.2	2.2	2.4	2.6	2.2	2.3	2.3	2.3	2.2	2.3	2.2				
40.0		1.9	1.8	2.0	2.2	1.9	1.9	1.9	1.9	1.9	1.9	1.8				
42.0		1.5	1.4	1.7	1.9	1.5	1.6	1.5	1.6	1.5	1.6	1.4				
44.0		1.2	1.1	1.4	1.6	1.2	1.3	1.2	1.3	1.2	1.2	1.1				
46.0				1.1	1.3	0.8	0.9	0.9	0.9	0.8	0.9					
48.0					1.0											
50.0																
52.0																
* n *												2!!				
	1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
	2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
	3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
	4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +





T	--
9.0 m/s	





T_286_001_00112_00_000

T	--
9.0 m/s	



		CODE >0060<										T286.001.00112				
		24.7	28.8	32.9	16.4	20.6	24.7	24.7	28.8	32.9	37.0	41.1	20.6	24.7	28.8	
	3.0	19.0			23.2	21.7	19.1	20.3				18.5	21.3			
	3.5	18.8	15.6		23.1	21.5	18.9	20.0	18.5			17.7	21.0			
	4.0	18.6	15.4		23.0	21.3	18.7	19.8	18.3			16.5	20.8	19.5		
	4.5	18.4	15.2	13.5	23.0	21.1	18.5	19.6	16.9	15.0		16.2	20.6	19.3		
	5.0	18.2	15.0	13.3	22.9	21.0	18.3	19.4	16.2	14.8		15.9	20.4	19.1		
	6.0	16.2	14.6	13.0	22.9	20.8	16.3	19.0	15.9	14.4	12.8	7.1	15.3	18.6		
	7.0	16.0	14.3	12.6	22.9	20.6	16.1	18.7	15.6	14.1	12.4	6.6	14.8	18.2		
	8.0	15.7	14.0	12.3	22.9	20.4	15.9	18.4	15.3	13.7	12.1	6.2	14.4	16.4		
	9.0	15.5	13.8	12.0	22.9	20.3	15.7	18.2	15.0	13.4	11.8	5.8	14.0	16.1		
	10.0	15.4	13.5	11.7	22.9	20.3	15.5	16.4	14.8	13.2	11.5	5.4	13.7	15.8		
	11.0	15.3	13.3	11.5	22.9	20.3	15.4	16.3	14.5	12.9	11.2	5.1	13.4	15.6		
	12.0	15.2	13.1	11.3	22.9	20.3	15.3	16.2	14.4	12.7	11.0	4.8	13.2	15.4		
	13.0	15.1	13.0	11.1	22.3	20.3	15.3	16.1	14.2	12.5	10.8	4.5	13.0	15.2		
	14.0	15.1	12.9	10.9	19.7	20.3	15.3	16.1	14.1	12.3	10.6	4.2	12.9	15.1		
	15.0	15.1	12.7	10.7		18.4	15.3	16.1	13.9	12.1	10.4	4.0	12.8	14.9		
	16.0	15.1	12.7	10.6		16.5	15.3	16.1	13.9	12.0	10.2	3.8	12.8	14.8		
	18.0	13.0	12.5	10.4		13.6	13.5	13.8	13.5	11.7	9.9	3.3	12.8	14.3		
	20.0	10.8	10.4	9.8			11.3	11.6	11.4	11.0	9.6	3.0		12.2		
	22.0	9.1	8.7	8.0			9.6	9.9	9.6	9.2	8.5	2.7		10.4		
	24.0		7.2	6.6					8.2	7.7	7.1	2.4		8.9		
	26.0		6.1	5.4					7.0	6.5	5.9	2.2		7.7		
	28.0			4.4						5.5	4.9	2.0				
	30.0			3.8						4.8	4.2	1.8				
	32.0										3.6	1.7				
	34.0										3.1	1.6				
	36.0											1.1				
	38.0															
	40.0															
	42.0															
	44.0															
	46.0															
	48.0															
	50.0															
	52.0															
	1	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	46 -	92 -	0 +	0 +	0 +	
	2	0 +	46 -	46 +	0 +	0 +	0 +	0 +	0 +	46 -	46 +	46 +	0 +	0 +	0 +	
	3	46 -	46 +	46 +	0 +	0 +	46 -	0 +	46 -	46 +	46 +	46 +	0 +	0 +	0 +	
	4	46 +	46 +	46 +	0 +	0 +	0 +	46 -	46 +	46 +	46 +	46 +	0 +	0 +	46 -	
	5	46 +	46 +	46 +	0 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	0 +	46 -	46 +	
	% 6	0 +	0 +	0 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	




[illegible]


r_286_001_00112_00_000



T	--
9.0 m/s	


[illegible]

11 (14)


[illegible]


r_286_001_00112_00_000

T	--
9.0 m/s	


[illegible]

13 (14)


[illegible]

[illegible]

T	--
9.0 m/s	


[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	




 m		 m > < t		CODE >0065<										T286.001.00117		
				41.1	41.1	41.1	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	49.4	49.4
3.0																
3.5																
4.0																
4.5																
5.0																
6.0																
7.0		31.8	28.8	23.5	27.7	26.9	23.7	21.9	20.3	24.9	23.0					
8.0		30.6	27.6	22.8	27.7	26.9	23.0	21.5	19.7	24.4	22.4	18.5	22.1	20.4	20.0	
9.0		27.9	26.1	21.8	26.0	26.0	22.4	21.0	19.0	23.8	21.8	17.9	22.1	20.1	19.7	
10.0		24.7	24.7	21.0	22.8	23.3	21.7	20.3	18.2	23.0	21.1	17.3	21.4	19.8	19.4	
11.0		21.8	22.2	20.0	20.2	20.7	20.8	19.6	17.4	21.1	20.3	16.6	19.4	19.4	18.9	
12.0		19.4	19.8	19.0	18.1	18.5	19.2	18.9	16.7	18.9	19.2	15.9	17.3	18.2	18.4	
13.0		17.5	17.8	18.0	16.1	16.6	17.2	17.6	15.9	16.9	17.3	15.2	15.5	16.4	16.7	
14.0		15.8	16.2	16.7	14.5	15.0	15.6	16.1	15.2	15.4	15.8	14.6	13.9	14.8	15.0	
15.0		14.4	14.8	15.4	13.2	13.6	14.2	14.7	14.5	14.0	14.4	13.9	12.6	13.5	13.7	
16.0		13.1	13.5	14.1	11.9	12.3	12.9	13.4	13.6	12.7	13.1	13.3	11.5	12.3	12.6	
18.0		11.0	11.4	12.0	9.9	10.3	10.9	11.4	11.6	10.7	11.1	11.7	9.5	10.4	10.6	
20.0		9.3	9.6	10.2	8.3	8.7	9.3	9.8	10.0	9.1	9.4	10.1	7.9	8.8	9.0	
22.0		7.7	8.0	8.5	6.9	7.3	7.8	8.2	8.4	7.6	7.9	8.5	6.7	7.5	7.7	
24.0		6.3	6.7	7.2	5.6	6.0	6.5	6.9	7.1	6.3	6.6	7.1	5.5	6.2	6.4	
26.0		5.3	5.6	6.1	4.6	4.9	5.4	5.8	6.0	5.2	5.5	6.1	4.4	5.1	5.3	
28.0		4.4	4.7	5.1	3.8	4.1	4.5	4.9	5.1	4.4	4.6	5.1	3.7	4.3	4.4	
30.0		3.8	4.0	4.4	3.2	3.5	3.9	4.2	4.3	3.7	4.0	4.4	3.1	3.7	3.8	
32.0		3.3	3.5	3.9	2.7	3.0	3.4	3.7	3.8	3.2	3.4	3.9	2.6	3.1	3.3	
34.0		2.8	3.0	3.4	2.2	2.5	2.9	3.2	3.3	2.8	3.0	3.4	2.1	2.7	2.8	
36.0		2.4	2.7	3.0	1.7	2.1	2.5	2.8	2.9	2.4	2.6	3.0	1.6	2.3	2.4	
38.0		2.0	2.3	2.7	1.3	1.7	2.1	2.4	2.6	1.9	2.2	2.6	1.1	1.9	2.0	
40.0					0.9	1.3	1.8	2.1	2.3	1.6	1.9	2.3		1.5	1.7	
42.0						1.0	1.4	1.8	2.0	1.3	1.5	2.1		1.2	1.3	
44.0													0.8		1.0	
46.0																
48.0																
50.0																
1		0 +	0 +	0 +	92 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	92 +	46 +	46 +	
2		92 +	46 +	0 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	0 +	92 +	92 +	46 +	
3		46 +	92 +	92 +	46 +	46 +	46 +	92 +	46 +	92 +	46 +	92 +	46 +	46 +	92 +	
4		46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	46 +	46 +	
5		46 +	46 +	92 +	46 +	46 +	92 +	92 +	92 +	46 +	92 +	92 +	46 +	92 +	92 +	
% 6		92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	





T	--
9.0 m/s	

[illegible]




				CODE >0065<										T286.001.00117		
m		m > < t														
		60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7	
3.0													18.5	14.7	11.2	
3.5													18.5	14.6	10.8	
4.0													18.4	14.5	10.5	
4.5													18.4	14.3	10.2	
5.0													18.4	14.2	9.8	
6.0													18.4	14.1	9.0	
7.0													18.4	13.9	7.3	
8.0													18.4	13.9	7.0	
9.0													18.4	13.9	6.7	
10.0		12.0	11.7	10.9	10.7								18.4	13.9	6.4	
11.0		12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0		11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0		11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	17.5	13.9	5.7	
14.0		11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	15.3	13.9	5.5	
15.0		11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		12.7	5.4	
16.0		11.1	10.6	10.0	9.8	10.9	10.2	9.8	9.4	9.0	7.9	8.7		11.1	5.2	
18.0		9.3	9.1	9.5	9.4	9.3	9.2	9.1	9.0	8.7	7.7	8.4		8.6	5.1	
20.0		7.8	7.7	8.0	8.3	7.8	7.8	7.7	7.7	7.6	7.4	7.4			5.1	
22.0		6.6	6.5	6.8	7.1	6.6	6.6	6.6	6.6	6.5	6.5	6.3			4.6	
24.0		5.6	5.5	5.8	6.1	5.6	5.6	5.6	5.6	5.5	5.5	5.4				
26.0		4.7	4.6	4.9	5.1	4.6	4.7	4.7	4.7	4.7	4.7	4.6				
28.0		3.9	3.8	4.1	4.3	3.9	4.0	3.9	4.0	3.9	4.0	3.9				
30.0		3.3	3.2	3.5	3.7	3.3	3.4	3.4	3.4	3.3	3.4	3.2				
32.0		2.8	2.7	2.9	3.1	2.8	2.8	2.8	2.8	2.8	2.8	2.7				
34.0		2.3	2.2	2.5	2.7	2.3	2.3	2.3	2.3	2.3	2.3	2.2				
36.0		1.8	1.7	2.1	2.3	1.8	1.9	1.8	1.9	1.8	1.9	1.8				
38.0		1.4	1.3	1.7	1.9	1.4	1.5	1.5	1.5	1.4	1.5	1.3				
40.0		1.0	0.8	1.3	1.6	1.0	1.1	1.0	1.1	1.0	1.1	0.9				
42.0				0.9	1.3											
44.0					0.9											
46.0																
48.0																
50.0																
* n *												2!!				
	1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
	2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
	3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
	4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

10 (14)


[illegible]

T	--
9.0 m/s	

[illegible]


12 (14)

T	--
9.0 m/s	


[illegible]

13 (14)


T	--
9.0 m/s	

[illegible]


14 (14)

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T 9.0 m/s	--
--------------	----


[illegible]

T	--
9.0 m/s	

[illegible]


5 (14)

T	--
9.0 m/s	


[illegible]




 m		 m > < t		CODE >0076<								T286.001.00128				
				60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6
	3.0												18.5	14.7	11.2	
	3.5												18.5	14.6	10.8	
	4.0												18.4	14.5	10.5	
	4.5												18.4	14.3	10.2	
	5.0												18.4	14.2	9.8	
	6.0												18.4	14.1	9.0	
	7.0												18.4	13.9	7.3	
	8.0												18.4	13.9	7.0	
	9.0												18.4	13.9	6.7	
	10.0	12.0	11.7	10.9	10.7								18.4	13.9	6.4	
	11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
	12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	15.8	13.9	5.9	
	13.0	11.3	11.2	10.6	10.3	11.2	10.5	10.2	9.8	9.2	8.1	9.0	13.4	12.8	5.7	
	14.0	10.2	10.0	10.3	10.2	10.1	10.0	9.8	9.6	9.1	8.0	8.9	11.5	10.9	5.5	
	15.0	9.2	9.0	9.4	9.7	9.1	9.1	9.0	9.1	8.8	8.0	8.6		9.3	5.4	
	16.0	8.3	8.1	8.5	8.8	8.2	8.2	8.2	8.2	8.0	7.9	7.9		8.0	5.2	
	18.0	6.7	6.6	7.0	7.3	6.7	6.8	6.7	6.7	6.6	6.6	6.5		5.9	5.1	
	20.0	5.5	5.4	5.7	6.0	5.5	5.6	5.5	5.5	5.4	5.4	5.3			3.7	
	22.0	4.5	4.4	4.7	5.0	4.5	4.6	4.5	4.6	4.5	4.5	4.4			2.5	
	24.0	3.6	3.5	3.9	4.2	3.7	3.7	3.7	3.7	3.6	3.7	3.5				
26.0	2.9	2.8	3.2	3.5	2.9	3.0	2.9	3.0	2.9	3.0	2.8					
28.0	2.3	2.2	2.5	2.8	2.3	2.4	2.3	2.4	2.3	2.4	2.2					
30.0	1.7	1.7	2.0	2.3	1.8	1.8	1.8	1.9	1.8	1.8	1.7					
32.0	1.2	1.0	1.5	1.8	1.2	1.3	1.2	1.3	1.2	1.3	1.1					
34.0			0.9	1.3												
36.0				0.9												
38.0																
40.0																
42.0																
44.0																
	* n *										2!!					
	1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
	2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
	3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
	4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
	% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




T	--
9.0 m/s	

[illegible]


[illegible]

T	--
9.0 m/s	

[illegible]


10 (14)

T	--
9.0 m/s	


[illegible]

11 (14)


T	--
9.0 m/s	

[illegible]

12 (14)


[illegible]

T	--
9.0 m/s	


[illegible]

14 (14)


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	




 m		 m > t		CODE >0086<								T286.001.00138				
		41.1	41.1	41.1	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	49.4	49.4	49.4	
3.0																
3.5																
4.0																
4.5																
5.0																
6.0																
7.0	24.5	24.9	23.5	22.2	22.7	23.4	21.9	20.3	23.2	23.0						
8.0	20.7	21.2	21.9	18.7	19.2	19.9	20.5	19.6	19.7	20.1	18.5	17.8	18.8	19.0		
9.0	17.6	18.0	18.7	15.9	16.4	17.1	17.7	17.9	16.9	17.3	17.6	15.1	16.1	16.4		
10.0	15.3	15.7	16.4	13.7	14.2	14.9	15.4	15.6	14.6	15.0	15.7	13.0	14.0	14.2		
11.0	13.3	13.7	14.3	11.9	12.4	13.0	13.6	13.8	12.8	13.2	13.9	11.3	12.2	12.4		
12.0	11.6	12.0	12.7	10.4	10.9	11.5	12.0	12.2	11.3	11.7	12.4	9.8	10.8	11.0		
13.0	10.3	10.6	11.3	9.1	9.5	10.1	10.6	10.8	9.9	10.3	11.0	8.6	9.5	9.8		
14.0	9.1	9.5	10.1	8.0	8.5	9.1	9.6	9.8	8.8	9.2	9.9	7.5	8.4	8.6		
15.0	8.1	8.5	9.1	7.0	7.5	8.1	8.6	8.8	7.9	8.2	8.9	6.6	7.5	7.7		
16.0	7.3	7.6	8.2	6.1	6.6	7.2	7.7	7.9	7.0	7.3	8.0	5.8	6.7	6.9		
18.0	5.8	6.1	6.7	4.8	5.2	5.8	6.3	6.5	5.6	5.9	6.6	4.5	5.4	5.6		
20.0	4.5	4.8	5.3	3.7	4.1	4.6	5.0	5.2	4.5	4.7	5.3	3.4	4.2	4.4		
22.0	3.6	3.8	4.2	2.7	3.2	3.7	4.0	4.2	3.5	3.8	4.2	2.5	3.3	3.5		
24.0	2.8	3.1	3.5	1.9	2.4	3.0	3.3	3.4	2.8	3.1	3.5	1.7	2.6	2.8		
26.0	2.2	2.5	2.9	1.1	1.7	2.3	2.7	2.8	2.1	2.5	2.9	0.9	1.9	2.1		
28.0	1.6	2.0	2.4		1.0	1.8	2.2	2.3	1.5	1.9	2.4		1.2	1.5		
30.0	1.0	1.5	2.0			1.1	1.7	1.9	0.9	1.3	1.9			0.9		
32.0		0.9	1.5				1.2	1.5			1.6					
34.0			1.1					1.0			1.1					
36.0																
1	0 +	0 +	0 +	92 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	92 +	46 +	46 +		
2	92 +	46 +	0 +	46 +	92 +	46 +	46 +	46 +	92 +	92 +	0 +	92 +	92 +	46 +		
3	46 +	92 +	92 +	46 +	46 +	46 +	92									




T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	

[illegible]


10 (14)

T	--
9.0 m/s	

[illegible]


11 (14)

T	--
9.0 m/s	


[illegible]

12 (14)


T	--
9.0 m/s	

[illegible]


13 (14)

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T 9.0 m/s	--
--------------	----

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	




T	--
9.0 m/s	

[illegible]

6 (14)



T	--
9.0 m/s	

[illegible]



T	--
9.0 m/s	


[illegible]

	T 9.0 m/s	--		8.10 x 6.51 m			
--	--------------	----	---	---------------------	---	--	--


T	--
9.0 m/s	



  $m > t$		CODE >0096<										T286.001.00148			
		24.7	28.8	32.9	16.4	20.6	24.7	24.7	28.8	32.9	37.0	41.1	20.6	24.7	28.8
3.0		19.0			23.2	21.7	19.1	20.3				18.5	21.3		
3.5		18.8	15.6		23.1	21.5	18.9	20.0	18.5			17.7	21.0		
4.0		18.6	15.4		23.0	21.3	18.7	19.8	18.3			16.5	20.8	19.5	
4.5		18.4	15.2	13.5	23.0	21.1	18.5	19.6	16.9	15.0		16.2	20.6	19.3	
5.0		18.2	15.0	13.3	22.9	21.0	18.3	19.4	16.2	14.8		15.9	20.4	19.1	
6.0		16.2	14.6	13.0	22.9	20.8	16.3	19.0	15.9	14.4	12.8	7.1	15.3	18.6	
7.0		16.0	14.3	12.6	22.5	20.6	16.1	18.7	15.6	14.1	12.4	6.6	14.8	18.2	
8.0		15.5	14.0	12.3	18.6	18.3	15.9	17.3	15.3	13.7	12.1	6.2	14.4	16.4	
9.0		13.3	12.2	10.6	15.1	15.1	14.0	14.4	13.5	12.3	10.8	5.8	14.0	14.6	
10.0		11.1	10.0	8.7	12.5	12.7	11.8	12.2	11.4	10.2	9.0	5.4	12.8	12.4	
11.0		9.3	8.4	7.2	10.3	10.8	10.0	10.4	9.7	8.8	7.5	5.1	10.8	10.7	
12.0		7.9	7.0	6.0	8.4	9.2	8.6	8.9	8.3	7.4	6.3	4.8	9.2	9.2	
13.0		6.7	5.9	4.9	6.9	7.6	7.3	7.7	7.1	6.3	5.3	4.4	7.7	8.0	
14.0		5.6	4.9	3.9	5.7	6.4	6.2	6.5	6.2	5.4	4.4	3.6	6.4	7.1	
15.0		4.6	4.1	3.2		5.3	5.1	5.5	5.2	4.6	3.7	2.8	5.4	6.0	
16.0		3.9	3.4	2.4		4.5	4.3	4.6	4.4	3.9	3.0	2.1	4.5	5.1	
18.0		2.8	2.1	1.0		3.4	3.2	3.5	3.3	2.8	1.6	0.9	3.4	3.9	
20.0		1.7	1.0				2.4	2.6	2.4	1.6			3.0	3.0	
22.0		0.9					1.6	1.9	1.6	0.8			2.4	2.4	
24.0									0.8					1.8	
26.0														1.3	
28.0															
 m	1	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	46 -	92 -	0 +	0 +	0 +	
	2	0 +	46 -	46 +	0 +	0 +	0 +	0 +	0 +	46 -	46 +	46 +	0 +	0 +	
	3	46 -	46 +	46 +	0 +	0 +	46 -	0 +	46 -						




T	--
9.0 m/s	

[illegible]


10 (14)

T	--
9.0 m/s	

[illegible]


11 (14)

T	--
9.0 m/s	

[illegible]


12 (14)

T	--
9.0 m/s	

[illegible]

13 (14)

T	--
9.0 m/s	

[illegible]


14 (14)






EN 13000 / ASME B30.5

T	--
9.0 m/s	

			CODE >0097<										T286.001.00201		
	m	60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7
3.0													18.5	14.7	
3.5													18.5	14.6	
4.0													18.4	14.5	10.5
4.5													18.4	14.3	10.2
5.0													18.4	14.2	9.8
6.0													18.4	14.1	9.0
7.0													18.4	13.9	7.3
8.0													18.4	13.9	7.0
9.0													18.4	13.9	6.7
10.0	12.0	11.7	10.9	10.7									18.4	13.9	6.4
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	18.4	13.9	5.9	
13.0	11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	18.4	13.9	5.7	
14.0	11.6	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	18.4	13.9	5.5	
15.0	11.4	10.9	10.2	10.0	11.1	10.3	9.9	9.6	9.1	8.0	8.9		13.9	5.4	
16.0	11.2	10.6	10.0	9.8	11.0	10.2	9.8	9.4	9.0	7.9	8.7		13.9	5.2	
18.0	10.8	10.1	9.6	9.4	10.6	9.9	9.5	9.1	8.7	7.7	8.4		12.0	5.1	
20.0	10.2	9.5	9.1	9.0	10.2	9.6	9.1	8.8	8.3	7.5	8.0			5.1	
22.0	9.3	8.9	8.6	8.5	9.2	9.0	8.7	8.4	8.0	7.2	7.6			5.1	
24.0	8.1	8.0	8.1	8.0	8.1	8.1	7.9	7.9	7.6	6.9	7.2				
26.0	7.1	7.0	7.3	7.5	7.1	7.1	7.0	7.0	6.9	6.5	6.8				
28.0	6.1	6.0	6.3	6.5	6.1	6.1	6.1	6.1	6.1	6.1	6.0				
30.0	5.1	5.1	5.4	5.6	5.2	5.2	5.2	5.3	5.2	5.2	5.1				
32.0	4.4	4.4	4.6	4.8	4.4	4.5	4.5	4.5	4.4	4.5	4.4				
34.0	3.9	3.8	4.0	4.2	3.9	3.9	3.9	3.9	3.9	3.9	3.9				
36.0	3.4	3.3	3.5	3.7	3.4	3.5	3.4	3.4	3.4	3.4	3.5	3.4			
38.0	2.9	2.9	3.1	3.3	3.0	3.0	3.0	3.0	3.0	3.0	2.9				
40.0	2.6	2.5	2.7	2.9	2.6	2.6	2.6	2.6	2.6	2.6	2.6				
42.0	2.2	2.2	2.4	2.6	2.2	2.3	2.3	2.3	2.3	2.3	2.2				
44.0	1.9	1.8	2.1	2.3	1.9	2.0	2.0	2.0	2.0	2.0	1.9				
46.0	1.6	1.5	1.8	2.0	1.6	1.7	1.6	1.7	1.7	1.7	1.6				
48.0	1.3	1.2	1.5	1.7	1.3	1.4	1.3	1.4	1.3	1.4	1.3				
50.0	1.0	0.9	1.2	1.4	1.0	1.1	1.1	1.1	1.1	1.1	1.0				
52.0			0.9	1.2				0.8							
* n *											2!!				
1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -	
2	100 +	100 +	46 +	100 +	92 +	92 +	100 +	92 +	100 +	100 +	100 +	46 -	46 +	46 +	
3	100 +	100 +	100 +	100 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	0 +	0 +	0 +	
4	46 +	46 +	100 +	100 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
5	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	
% 6	100 +	100 +	100 +	100 +	92 +	100 +	100 +	100 +	100 +	100 +	100 +	0 +	0 +	0 +	




T	--
9.0 m/s	






T	--
9.0 m/s	

				CODE >0097<										T286.001.00201			
		m > < t															
		24.7	28.8	32.9	16.4	20.6	24.7	24.7	28.8	32.9	37.0	41.1	20.6	24.7	28.8		
3.0					23.2												
3.5					23.1												
4.0		18.6			23.0												
4.5		18.4	15.2	13.5	23.0	21.1	18.5						16.2				
5.0		18.2	15.0	13.3	22.9	21.0	18.3	19.4	16.2				15.9	20.4			
6.0		16.2	14.6	13.0	22.9	20.8	16.3	19.0	15.9	14.4	12.8		15.3	20.0	18.6		
7.0		16.0	14.3	12.6	22.9	20.6	16.1	18.7	15.6	14.1	12.4	6.6	14.8	19.7	18.2		
8.0		15.7	14.0	12.3	22.9	20.4	15.9	18.4	15.3	13.7	12.1	6.2	14.4	19.4	16.4		
9.0		15.5	13.8	12.0	22.9	20.3	15.7	18.2	15.0	13.4	11.8	5.8	14.0	19.1	16.1		
10.0		15.4	13.5	11.7	22.9	20.3	15.5	16.4	14.8	13.2	11.5	5.4	13.7	18.9	15.8		
11.0		15.3	13.3	11.5	22.9	20.3	15.4	16.3	14.5	12.9	11.2	5.1	13.4	18.7	15.6		
12.0		15.2	13.1	11.3	22.9	20.3	15.3	16.2	14.4	12.7	11.0	4.8	13.2	18.6	15.4		
13.0		15.1	13.0	11.1	22.9	20.3	15.3	16.1	14.2	12.5	10.8	4.5	13.0	18.5	15.2		
14.0		15.1	12.9	10.9	21.3	20.3	15.3	16.1	14.1	12.3	10.6	4.2	12.9	18.4	15.1		
15.0		15.1	12.7	10.7		19.9	15.3	16.1	13.9	12.1	10.4	4.0	12.8	17.9	14.9		
16.0		15.1	12.7	10.6		18.0	15.3	16.1	13.9	12.0	10.2	3.8	12.8	16.9	14.8		
18.0		14.4	12.6	10.4		15.1	14.9	15.2	13.8	11.7	9.9	3.3	12.8	15.2	14.7		
20.0		12.1	11.8	10.3			12.6	12.9	12.8	11.6	9.6	3.0		13.4	13.5		
22.0		10.4	10.0	9.4			10.9	11.2	11.0	10.6	9.5	2.7		11.6	11.7		
24.0			8.5	7.9					9.5	9.0	8.4	2.4			10.2		
26.0			7.3	6.7					8.3	7.8	7.1	2.2			8.9		
28.0				5.6						6.7	6.1	2.0					
30.0				4.8						5.9	5.2	1.8					
32.0											4.5	1.7					
34.0											4.0	1.6					
36.0												1.1					
38.0																	
40.0																	
42.0																	
44.0																	




T 9.0 m/s	--
--------------	----


[illegible]


10 (19)

T	--
9.0 m/s	


[illegible]

11 (19)

[illegible]


[illegible]

T	--
9.0 m/s	

[illegible]


14 (19)

T	--
9.0 m/s	

[illegible]


15 (19)

T	--
9.0 m/s	

[illegible]


16 (19)

T	--
9.0 m/s	

[illegible]


17 (19)

T	--
9.0 m/s	


[illegible]

18 (19)


T 9.0 m/s	--
--------------	----

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	

[illegible]




T	--
9.0 m/s	

[illegible]


5 (14)


T	--
9.0 m/s	

[illegible]




T 9.0 m/s	--
--------------	----


  m > t		CODE >0108<										T286.001.00212			
		60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7
3.0													18.5	14.7	11.2
3.5													18.5	14.6	10.8
4.0													18.4	14.5	10.5
4.5													18.4	14.3	10.2
5.0													18.4	14.2	9.8
6.0													18.4	14.1	9.0
7.0													18.4	13.9	7.3
8.0													18.4	13.9	7.0
9.0													18.4	13.9	6.7
10.0	12.0	11.7	10.9	10.7									18.4	13.9	6.4
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	18.4	13.9	6.1	
12.0	11.8	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	17.4	13.9	5.9	
13.0	11.7	11.4	10.6	10.3	11.3	10.5	10.2	9.8	9.2	8.1	9.0	15.0	13.9	5.7	
14.0	11.4	11.1	10.4	10.2	11.2	10.4	10.1	9.7	9.2	8.0	8.9	13.1	12.5	5.5	
15.0	10.5	10.4	10.2	10.0	10.5	10.2	9.9	9.6	9.1	8.0	8.9		10.9	5.4	
16.0	9.6	9.5	9.8	9.8	9.5	9.6	9.5	9.3	9.0	7.9	8.7		9.5	5.2	
18.0	8.0	7.9	8.2	8.5	8.0	8.0	7.9	8.0	7.8	7.7	7.7		7.3	5.1	
20.0	6.7	6.6	6.9	7.2	6.7	6.7	6.7	6.7	6.6	6.6	6.5			4.9	
22.0	5.6	5.5	5.8	6.1	5.6	5.7	5.6	5.7	5.6	5.6	5.5			3.7	
24.0	4.7	4.6	4.9	5.2	4.7	4.7	4.7	4.8	4.7	4.7	4.6				
26.0	3.9	3.8	4.2	4.4	3.9	4.0	3.9	4.0	3.9	3.9	3.8				
28.0	3.3	3.1	3.5	3.7	3.3	3.3	3.3	3.3	3.3	3.3	3.2				
30.0	2.6	2.6	2.9	3.2	2.7	2.7	2.7	2.7	2.7	2.7	2.6				
32.0	2.1	2.0	2.4	2.6	2.1	2.2	2.2	2.2	2.1	2.2	2.1				
34.0	1.7	1.6	1.9	2.2	1.7	1.8	1.7	1.8	1.7	1.8	1.6				
36.0	1.2	1.1	1.5	1.8	1.3	1.4	1.3	1.3	1.3	1.3	1.2				
38.0			1.1	1.4		0.8		0.8		0.8					
40.0				1.0											
42.0															
44.0															
46.0															
* n *											2!!				
1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +</							




T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	

[illegible]


10 (14)

[illegible]

[illegible]


r_286_001_00212_00_000

T	--
9.0 m/s	


[illegible]

13 (14)

T	--
9.0 m/s	



[illegible]


14 (14)

[illegible]


T	--
9.0 m/s	




  $m > t$		CODE >0113<								T286.001.00217					
		24.7	24.7	24.7	24.7	24.7	24.7	24.7	24.7	28.8	28.8	28.8	28.8	28.8	28.8
 m	3.0	72.3	72.1	64.9	46.2	46.3	46.4	48.0	65.0						
	3.5	71.3	71.5	64.9	46.2	46.3	45.2	48.0	65.0	65.5	48.3	46.8			
	4.0	63.6	65.2	63.7	46.2	46.3	43.0	48.0	64.2	60.5	48.3	46.8	62.1	43.0	33.3
	4.5	54.3	55.8	57.7	46.2	46.3	41.0	48.0	58.8	52.6	48.3	46.8	54.1	41.4	31.9
	5.0	47.1	48.6	50.3	46.2	46.3	39.1	48.0	51.4	45.7	46.8	46.8	47.1	39.7	30.4
	6.0	36.8	38.2	39.8	42.1	42.5	35.8	41.3	40.8	36.6	38.4	39.8	37.9	36.8	27.8
	7.0	29.6	30.9	32.4	34.6	35.0	32.6	33.9	33.4	29.9	31.6	33.0	31.1	33.8	25.5
	8.0	24.5	25.7	27.2	29.3	29.7	29.7	28.6	28.1	25.0	26.6	28.0	26.2	28.9	23.5
	9.0	20.4	21.6	23.0	25.0	25.4	26.0	24.3	23.9	21.3	22.9	24.2	22.5	25.1	21.8
	10.0	17.3	18.5	19.9	21.8	22.2	22.8	21.1	20.7	18.3	19.8	21.1	19.4	22.0	20.3
	11.0	14.8	15.9	17.3	19.2	19.5	20.2	18.5	18.1	15.9	17.4	18.6	17.0	19.5	18.9
	12.0	12.7	13.9	15.2	17.0	17.4	18.0	16.4	16.0	13.8	15.3	16.5	14.9	17.4	17.5
	13.0	11.0	12.1	13.4	15.2	15.6	16.1	14.6	14.2	12.2	13.6	14.8	13.2	15.7	15.8
	14.0	9.5	10.6	11.9	13.5	13.8	14.4	13.0	12.6	10.7	12.2	13.4	11.8	14.2	14.3
	15.0	8.2	9.3	10.5	12.0	12.3	12.9	11.5	11.2	9.5	10.9	12.0	10.5	12.9	13.0
	16.0	7.1	8.1	9.2	10.7	11.0	11.5	10.2	9.9	8.4	9.8	10.8	9.4	11.6	11.7
	18.0	5.0	6.0	7.1	8.6	8.9	9.4	8.1	7.7	6.4	7.7	8.6	7.3	9.4	9.5
	20.0	3.6	4.4	5.5	6.9	7.2	7.7	6.4	6.1	4.8	6.0	7.0	5.7	7.7	7.8
	22.0	2.5	3.4	4.3	5.7	6.0	6.5	5.2	4.9	3.8	4.8	5.7	4.5	6.4	6.5
	24.0									2.9	3.9	4.7	3.7	5.4	5.4
26.0									2.1	3.2	4.0	3.0	4.5	4.6	
28.0															
30.0															
32.0															
34.0															
36.0															
38.0															
40.0															
42.0															
44.0															




T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	


[illegible]

[illegible]




T	--
9.0 m/s	

 m		 m > < t		CODE >0113<								T286.001.00217				
		60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7	
3.0													18.5	14.7	11.2	
3.5													18.5	14.6	10.8	
4.0													18.4	14.5	10.5	
4.5													18.4	14.3	10.2	
5.0													18.4	14.2	9.8	
6.0													18.4	14.1	9.0	
7.0													18.4	13.9	7.3	
8.0													18.4	13.9	7.0	
9.0													18.4	13.9	6.7	
10.0	12.0	11.7	10.9	10.7									18.4	13.9	6.4	
11.0	12.0	11.6	10.9	10.6	11.5	10.6	10.3	10.0	9.4	8.2	9.1	17.5	13.9	6.1		
12.0	11.7	11.5	10.7	10.5	11.4	10.6	10.2	9.9	9.3	8.2	9.1	14.8	13.9	5.9		
13.0	10.8	10.7	10.5	10.3	10.8	10.4	10.2	9.8	9.2	8.1	9.0	12.7	12.2	5.7		
14.0	9.8	9.6	10.0	10.1	9.8	9.7	9.6	9.4	9.1	8.0	8.9	11.0	10.4	5.5		
15.0	8.8	8.7	9.1	9.4	8.8	8.8	8.7	8.8	8.6	8.0	8.4		9.0	5.4		
16.0	8.0	7.9	8.2	8.5	7.9	8.0	7.9	8.0	7.8	7.7	7.7		7.7	5.2		
18.0	6.5	6.4	6.8	7.1	6.5	6.6	6.5	6.5	6.5	6.5	6.4		5.8	5.0		
20.0	5.4	5.3	5.6	5.9	5.4	5.4	5.3	5.4	5.3	5.3	5.2			3.6		
22.0	4.4	4.3	4.6	4.9	4.4	4.5	4.4	4.5	4.4	4.4	4.3			2.5		
24.0	3.6	3.5	3.8	4.1	3.6	3.6	3.6	3.6	3.6	3.6	3.5					
26.0	2.9	2.8	3.1	3.4	2.9	2.9	2.9	2.9	2.9	2.9	2.8					
28.0	2.3	2.2	2.5	2.8	2.3	2.4	2.3	2.3	2.3	2.3	2.2					
30.0	1.7	1.6	2.0	2.3	1.7	1.8	1.8	1.8	1.8	1.8	1.7					
32.0	1.2	1.0	1.5	1.8	1.2	1.3	1.2	1.3	1.2	1.3	1.1					
34.0			0.9	1.3												
36.0				0.9												
38.0																
40.0																
42.0																
44.0																
* n *											2!!					
1	92 +	100 +	100 +	46 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	0 +	46 -	92 -		
2	100 +	100 +	46 +	100 +	92 +	92										





T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	




				CODE >0113<								T286.001.00217					
m		45.2	49.4	53.5	57.6	45.2	49.4	53.5	57.6	61.7	51.5	55.6	59.7	51.5	55.6		
	3.0																
	3.5																
	4.0																
	4.5																
	5.0																
	6.0																
	7.0	13.7															
	8.0	13.3	7.1			8.8	13.2										
	9.0	12.9	6.7	11.4		7.5	12.8	6.5			4.9	11.3		6.6	11.3		
	10.0	12.6	6.3	11.1	5.0	7.1	12.5	6.1	10.9		4.5	10.9	4.9	6.1	11.0		
	11.0	12.3	6.0	10.7	4.7	6.8	12.1	5.7	10.6	4.5	4.1	10.6	4.5	5.8	10.6		
	12.0	12.0	5.6	10.4	4.4	6.5	11.8	5.4	10.3	4.2	3.8	10.3	4.2	5.5	10.3		
	13.0	11.7	5.3	10.1	4.1	6.1	11.5	5.1	10.0	3.9	3.5	10.0	3.9	5.2	10.0		
	14.0	11.5	5.0	9.9	3.8	5.9	11.2	4.8	9.7	3.6	3.2	9.7	3.6	4.9	9.7		
	15.0	11.0	4.8	9.5	3.5	5.6	10.8	4.5	9.4	3.3	3.0	9.4	3.4	4.6	9.4		
	16.0	10.2	4.6	9.0	3.3	5.3	9.9	4.3	8.6	3.1	2.7	8.1	3.1	4.4	8.8		
18.0	8.6	4.1	7.3	2.8	4.9	8.4	3.8	7.2	2.7	2.3	7.2	2.7	3.9	7.2			
20.0	7.3	3.7	6.3	2.5	4.5	7.1	3.4	6.0	2.3	1.9	6.0	2.3	3.6	6.1			
22.0	6.0	3.4	5.2	2.1	4.1	5.9	3.1	5.0	1.9	1.6	5.0	1.9	3.2	5.0			
24.0	4.9	3.1	4.3	1.8	3.8	4.8	2.8	4.2	1.6	1.3	4.1	1.6	2.9	4.2			
26.0	4.1	2.8	3.6	1.5	3.6	4.1	2.5	3.5	1.3	1.1	3.4	1.4	2.6	3.5			
28.0	3.5	2.6	3.0	1.3	3.3	3.5	2.2	2.8	1.1	0.9	2.8	1.1	2.4	2.9			
30.0	3.0	2.4	2.4	1.1	3.1	2.9	2.0	2.3	0.9		2.3	0.9	2.2	2.3			
32.0	2.6	2.2	2.0	0.9	2.7	2.5	1.8	1.8			1.8		2.0	1.8			
34.0	2.2	1.9	1.5		2.3	2.1	1.6	1.4			1.3		1.8	1.4			
36.0	1.9	1.6	1.1		1.9	1.8	1.4	0.9			0.8		1.5	0.9			
38.0	1.5	1.2			1.6	1.5	1.0						1.1				
40.0	1.2				1.3	1.1											
42.0	1.0				1.1												
44.0																	




12 (14)

T	--
9.0 m/s	

[illegible]


13 (14)

T	--
9.0 m/s	

[illegible]



14 (14)


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	



 m		 m > t		CODE >0124<						T286.001.00228					
		24.7	24.7	24.7	24.7	24.7	24.7	24.7	24.7	28.8	28.8	28.8	28.8	28.8	28.8
 m	3.0	72.3	72.1	64.9	46.2	46.3	46.4	48.0	65.0						
	3.5	61.1	62.9	63.4	46.2	46.3	45.2	48.0	63.7	57.4	48.3	46.8			
	4.0	50.8	52.5	54.4	46.2	46.3	43.0	48.0	55.6	48.7	48.3	46.8	50.3	43.0	33.3
	4.5	43.1	44.7	46.5	46.2	46.3	41.0	46.7	47.7	42.2	44.1	44.8	43.7	41.4	31.9
	5.0	37.2	38.7	40.4	42.8	43.2	39.1	42.1	41.5	36.5	38.4	39.9	37.9	39.7	30.4
	6.0	28.7	30.1	31.7	34.0	34.4	35.2	33.2	32.7	28.9	30.7	32.1	30.2	33.2	27.8
	7.0	22.7	24.1	25.6	27.7	28.2	28.9	27.0	26.5	23.3	25.1	26.4	24.6	27.5	25.5
	8.0	18.5	19.8	21.3	23.3	23.7	24.4	22.6	22.2	19.3	21.0	22.3	20.5	23.3	23.4
	9.0	15.1	16.4	17.8	19.8	20.2	20.8	19.1	18.7	16.3	17.9	19.1	17.4	20.1	20.2
	10.0	12.6	13.8	15.2	17.1	17.5	18.1	16.5	16.0	13.8	15.3	16.6	14.9	17.5	17.6
	11.0	10.5	11.7	13.0	14.9	15.3	15.9	14.3	13.9	11.8	13.3	14.5	12.9	15.4	15.6
	12.0	8.8	10.0	11.3	13.2	13.5	14.1	12.5	12.1	10.1	11.6	12.8	11.2	13.6	13.8
	13.0	7.4	8.5	9.8	11.6	12.0	12.6	11.0	10.6	8.7	10.1	11.3	9.8	12.2	12.3
	14.0	6.2	7.3	8.6	10.3	10.6	11.1	9.7	9.3	7.5	9.0	10.1	8.6	11.0	11.1
	15.0	5.1	6.2	7.4	9.0	9.3	9.8	8.5	8.1	6.5	7.9	9.0	7.5	9.8	9.9
	16.0	4.2	5.2	6.3	7.9	8.2	8.7	7.4	7.0	5.6	6.9	7.9	6.6	8.7	8.8
	18.0	2.8	3.7	4.6	6.1	6.4	6.9	5.6	5.2	4.1	5.2	6.2	4.8	6.9	7.0
	20.0	1.3	2.5	3.5	4.7	5.0	5.5	4.3	4.0	3.0	4.0	4.8	3.7	5.5	5.6
	22.0		1.5	2.6	3.9	4.1	4.5	3.5	3.2	2.0	3.1	3.9	2.9	4.5	4.5
	24.0									1.0	2.4	3.2	2.1	3.7	3.8
26.0										1.7	2.6	1.5	3.2	3.3	
28.0															
30.0															
32.0															
34.0															
36.0															
38.0															
 m	1	92 +													




T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	




 m		 m > t		CODE >0124<								T286.001.00228				
		41.1	41.1	41.1	45.2	45.2	45.2	45.2	45.2	45.2	45.2	45.2	49.4	49.4	49.4	
3.0																
3.5																
4.0																
4.5																
5.0																
6.0																
7.0	22.4	22.8	23.5	20.4	20.9	21.5	21.9	20.3	21.3	21.7						
8.0	19.2	19.6	20.2	17.3	17.8	18.5	19.0	19.2	18.2	18.6	18.4	16.5	17.5	17.7		
9.0	16.4	16.8	17.5	14.9	15.4	16.0	16.5	16.7	15.8	16.2	16.9	14.2	15.1	15.3		
10.0	14.4	14.8	15.4	12.9	13.4	14.0	14.5	14.7	13.8	14.2	14.8	12.3	13.2	13.4		
11.0	12.6	12.9	13.6	11.3	11.8	12.4	12.8	13.0	12.1	12.5	13.2	10.7	11.6	11.8		
12.0	11.1	11.4	12.1	9.9	10.4	11.0	11.5	11.7	10.8	11.1	11.8	9.4	10.3	10.5		
13.0	9.8	10.2	10.8	8.7	9.1	9.7	10.2	10.4	9.5	9.9	10.5	8.3	9.1	9.3		
14.0	8.8	9.1	9.7	7.7	8.1	8.7	9.2	9.4	8.5	8.9	9.5	7.2	8.1	8.3		
15.0	7.8	8.2	8.8	6.8	7.2	7.8	8.3	8.4	7.6	7.9	8.6	6.4	7.2	7.4		
16.0	7.0	7.4	8.0	5.9	6.4	7.0	7.4	7.6	6.7	7.1	7.7	5.6	6.5	6.7		
18.0	5.6	6.0	6.5	4.6	5.1	5.6	6.1	6.3	5.4	5.8	6.4	4.4	5.2	5.4		
20.0	4.4	4.7	5.2	3.6	4.0	4.5	4.9	5.1	4.4	4.6	5.2	3.3	4.1	4.3		
22.0	3.5	3.8	4.2	2.7	3.1	3.7	4.0	4.1	3.5	3.7	4.2	2.5	3.3	3.5		
24.0	2.8	3.1	3.5	1.9	2.4	2.9	3.3	3.4	2.7	3.0	3.5	1.6	2.5	2.7		
26.0	2.2	2.5	2.9	1.1	1.7	2.3	2.7	2.8	2.1	2.4	2.9	0.9	1.9	2.1		
28.0	1.6	2.0	2.4		1.0	1.8	2.2	2.3	1.5	1.9	2.4		1.2	1.5		
30.0	1.0	1.5	2.0			1.2	1.7	1.9	0.9	1.3	2.0			0.9		
32.0		1.0	1.6				1.2	1.5		0.8	1.6					
34.0			1.1					1.0			1.1					
36.0																
38.0																
1	0 +	0 +	0 +	92 +	46 +	46 +	0 +	0 +	0 +	0 +	0 +	92 +	46 +	46 +		
2	92 +	46 +	0 +	46 +	92 +	46 +	46 +	46 +								



T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	


[illegible]




T	--
9.0 m/s	

				m > < t								CODE >0124<								T286.001.00228			
		m	60.5	61.2	61.2	61.2	61.7	63.1	63.9	63.9	65.3	66.0	66.0	16.4	20.6	24.7							
3.0														18.5	14.7	11.2							
3.5														18.5	14.6	10.8							
4.0														18.4	14.5	10.5							
4.5														18.4	14.3	10.2							
5.0														18.4	14.2	9.8							
6.0														18.4	14.1	9.0							
7.0														18.4	13.9	7.3							
8.0														18.4	13.9	7.0							
9.0														18.4	13.9	6.7							
10.0		11.6	11.4	10.9	10.7									15.9	13.7	6.4							
11.0		10.2	10.0	10.3	10.4	10.0	10.0	9.8	9.7	9.3	8.2	9.0	13.2	12.0	6.1								
12.0		8.9	8.9	9.2	9.5	8.9	8.8	8.8	8.9	8.7	8.1	8.6	11.0	10.2	5.9								
13.0		7.9	7.8	8.2	8.5	7.9	7.9	7.9	7.9	7.7	7.8	7.6	9.3	8.7	5.7								
14.0		7.1	6.9	7.2	7.5	7.0	7.0	6.9	7.0	6.8	6.9	6.8	7.9	7.2	5.5								
15.0		6.3	6.2	6.5	6.8	6.2	6.2	6.2	6.2	6.1	6.2	6.0		6.0	5.1								
16.0		5.6	5.4	5.8	6.1	5.5	5.6	5.5	5.6	5.4	5.5	5.3		4.9	4.2								
18.0		4.4	4.2	4.6	4.9	4.4	4.4	4.3	4.4	4.3	4.4	4.2		3.4	2.8								
20.0		3.4	3.3	3.6	3.9	3.4	3.4	3.4	3.4	3.3	3.4	3.2			1.3								
22.0		2.6	2.5	2.8	3.1	2.6	2.6	2.6	2.7	2.6	2.6	2.5											
24.0		1.8	1.7	2.1	2.4	1.9	1.9	1.9	1.9	1.9	1.9	1.7											
26.0		1.1	1.0	1.4	1.8	1.1	1.2	1.1	1.2	1.1	1.2	1.0											
28.0					1.2																		
30.0																							
32.0																							
34.0																							
36.0																							
38.0																							




[illegible]

T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	


[illegible]

10 (14)

T	--
9.0 m/s	




 m		 m > < t		CODE >0124<										T286.001.00228			
		37.0	41.1	45.2	45.2	49.4	53.5	41.1	45.2	49.4	49.4	53.5	57.6	37.0	41.1		
3.0																	
3.5																	
4.0																	
4.5																	
5.0																	
6.0	15.5												11.8				
7.0	15.1	13.9	12.4	7.6			10.1	13.7					11.1	15.0			
8.0	14.8	13.5	12.0	7.2	11.8		9.5	13.3	11.9	7.0			10.5	14.6			
9.0	14.4	13.2	11.7	6.8	11.5	5.5	7.9	12.9	11.5	6.5	11.4		10.0	14.2			
10.0	14.1	12.9	11.4	6.4	11.1	5.1	7.4	12.6	11.2	6.2	11.0	4.9	9.5	13.9			
11.0	13.8	12.5	11.1	6.1	10.8	4.8	7.1	12.2	10.9	5.8	10.7	4.6	8.2	13.6			
12.0	12.8	11.9	10.7	5.8	10.3	4.5	6.7	11.5	10.5	5.5	9.9	4.3	7.6	12.4			
13.0	11.4	10.7	9.7	5.5	9.1	4.2	6.4	10.2	9.3	5.2	8.9	4.0	7.3	11.1			
14.0	10.3	9.6	8.7	5.2	8.1	3.9	6.2	9.2	8.3	4.9	7.9	3.7	7.0	10.1			
15.0	9.3	8.7	7.8	5.0	7.2	3.6	5.9	8.3	7.4	4.6	7.0	3.4	6.8	9.1			
16.0	8.4	7.8	7.0	4.7	6.5	3.4	5.7	7.4	6.7	4.4	6.3	3.2	6.5	8.3			
18.0	6.8	6.4	5.6	4.3	5.2	3.0	5.2	6.1	5.4	4.0	5.1	2.8	6.1	6.8			
20.0	5.5	5.1	4.5	3.9	4.1	2.6	4.9	4.9	4.3	3.6	4.1	2.4	5.6	5.5			
22.0	4.4	4.1	3.7	3.6	3.3	2.3	4.2	4.0	3.5	3.2	3.2	2.0	4.5	4.4			
24.0	3.7	3.4	2.9	3.0	2.5	2.0	3.5	3.3	2.7	2.8	2.5	1.7	3.8	3.7			
26.0	3.1	2.8	2.3	2.4	1.9	1.2	2.9	2.7	2.1	2.2	1.8	1.1	3.2	3.1			
28.0	2.6	2.3	1.8	1.9	1.2		2.4	2.2	1.5	1.7	1.2		2.7	2.6			
30.0	2.2	1.9	1.2	1.3			2.0	1.7	0.9	1.0			2.3	2.2			
32.0	1.8	1.5		0.8			1.6	1.2					1.9	1.8			
34.0	1.5	1.0					1.1						1.6	1.5			
36.0														1.1			
38.0														0.8			
1	0 +	0 +	46 -	0 +	46 -	92 -	0 +	0 +	46 -	0 +	46 -	92 -	0 +	0 +			
2	0 +	46 -	46 +	92 -	92 +	92 +	0 +	46 -	46 +	92 -	92 +	92 +	0 +	0 +			
3	46 -	46 +	46 +	46													




11 (14)

T	--
9.0 m/s	

[illegible]


12 (14)

T	--
9.0 m/s	

[illegible]


13 (14)

T	--
9.0 m/s	


[illegible]

14 (14)

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]




 m		 m > t		CODE >0134<										T286.001.00238			
		32.9	32.9	32.9	32.9	32.9	37.0	37.0	37.0	37.0	37.0	41.1	41.1	41.1	41.1		
3.0																	
3.5																	
4.0																	
4.5		30.5	30.9	32.7													
5.0		26.8	27.1	28.9	30.3	29.3											
6.0		21.3	21.5	23.2	24.6	25.2	20.9	22.5	23.4	22.7	23.1	19.1	20.5				
7.0		17.2	17.4	19.0	20.3	21.0	17.1	18.6	19.5	18.8	19.7	15.7	17.0	18.2			
8.0		14.0	14.2	15.8	17.0	17.6	14.2	15.6	16.5	15.9	16.7	13.1	14.4	15.5			
9.0		11.6	11.9	13.4	14.6	15.2	12.0	13.4	14.2	13.6	14.4	10.9	12.2	13.3			
10.0		9.7	9.9	11.4	12.5	13.1	10.2	11.6	12.4	11.8	12.6	9.2	10.5	11.6			
11.0		8.2	8.5	9.9	11.0	11.6	8.7	10.0	10.8	10.2	11.0	7.8	9.0	10.1			
12.0		6.9	7.2	8.6	9.7	10.3	7.5	8.8	9.6	9.0	9.8	6.6	7.8	8.8			
13.0		5.8	6.0	7.4	8.5	9.1	6.4	7.7	8.5	7.9	8.7	5.6	6.8	7.8			
14.0		4.8	5.1	6.4	7.5	8.1	5.5	6.8	7.5	7.0	7.7	4.7	5.9	6.9			
15.0		4.0	4.3	5.6	6.7	7.2	4.7	6.0	6.8	6.2	6.9	4.0	5.2	6.1			
16.0		3.4	3.6	4.9	5.9	6.4	4.0	5.3	6.0	5.5	6.2	3.3	4.5	5.5			
18.0		2.0	2.3	3.7	4.5	4.9	2.9	4.1	4.7	4.2	4.8	2.0	3.3	4.3			
20.0		0.9	1.1	2.7	3.5	3.9	1.7	3.2	3.7	3.3	3.8	1.0	2.4	3.4			
22.0				1.9	2.8	3.2	0.9	2.4	3.0	2.6	3.1		1.5	2.6			
24.0				1.1	2.2	2.6		1.7	2.4	1.9	2.5			2.0			
26.0					1.7	2.1		1.0	1.9	1.2	2.0			1.3			
28.0					1.1	1.7			1.4		1.5			1.3			
30.0						1.3			0.8		1.0						
32.0														0.8			
 %	1	46 +	46 +	0 +	0 +	0 +	46 +	0 +	0 +	0 +	0 +	92 +	46 +	0 +			
	2	46 +	46 +	46 +	0 +	0 +	46 +	46 +	0 +	0 +	0 +	46 +	46 +	46 +			
	3	46 +	46 +	46 +	46 +	0 +	46 +	46 +	46 +	92 +	0 +	46 +	46 +	46 +			
	4	92 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +			
	5	0 +	46 +	46 +	46 +	92 +	46 +	46 +	92 +	46 +	92 +						




T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

10 (14)


[illegible]

T	--
9.0 m/s	


[illegible]

12 (14)



T 9.0 m/s	--
--------------	----


[illegible]


13 (14)

[illegible]




 m		 m > < t		CODE >0144<								T286.001.00248				
		12.3	16.4	16.4	16.4	16.4	16.4	20.6	20.6	20.6	20.6	20.6	20.6	20.6	20.6	
 %	3.0	72.2	46.8	48.6	59.9	59.0	57.7	49.7	48.2	46.5	46.5	47.0	49.2	51.1	51.5	
	3.5	52.6	45.3	45.9	45.2	44.2	43.0	38.3	41.0	42.3	42.4	35.9	37.8	39.5	39.9	
	4.0	40.5	37.7	37.0	36.2	35.2	34.2	31.1	33.7	34.8	34.9	29.0	30.7	32.3	32.6	
	4.5	32.4	31.0	30.4	29.5	28.7	27.7	25.6	28.0	29.0	29.1	23.6	25.2	26.7	26.9	
	5.0	26.9	26.3	25.7	24.9	24.1	23.2	21.8	24.0	25.0	25.1	19.9	21.4	22.8	23.0	
	6.0	19.2	19.5	18.9	18.2	17.5	16.7	16.0	18.0	19.0	19.1	14.3	15.6	16.9	17.1	
	7.0	14.4	15.0	14.5	13.8	13.1	12.4	12.1	14.0	14.9	15.0	10.5	11.8	13.0	13.2	
	8.0	11.1	11.9	11.4	10.8	10.1	9.4	9.3	11.2	12.0	12.1	7.8	9.0	10.2	10.4	
	9.0	8.5	9.6	9.1	8.5	7.9	7.2	7.2	9.0	9.8	9.9	5.7	6.9	8.0	8.2	
	10.0	6.4	7.8	7.4	6.8	6.2	5.5	5.6	7.4	8.1	8.2	4.1	5.4	6.4	6.6	
	11.0		6.2	5.8	5.3	4.8	4.1	4.3	6.0	6.8	6.8	2.4	4.1	5.1	5.3	
	12.0		4.9	4.5	4.1	3.7	2.8	3.1	4.9	5.6	5.6	1.3	2.7	4.0	4.2	
	13.0		3.9	3.6	3.2	2.6	1.7	1.9	4.0	4.5	4.6		1.6	3.0	3.2	
	14.0		3.2	2.9	2.4	1.6	0.9	1.2	3.2	3.8	3.8		0.9	2.0	2.2	
15.0								2.5	3.2	3.2			1.3	1.5		
16.0								1.8	2.6	2.7			0.8	1.0		
18.0																
20.0										1.6	1.6					
22.0																




[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]


5 (14)

T	--
9.0 m/s	

[illegible]



T	--
9.0 m/s	


[illegible]

[illegible]


T	--
9.0 m/s	



 m		 m > t		CODE >0144<										T286.001.00248		
		24.7	28.8	32.9	16.4	20.6	24.7	24.7	28.8	32.9	37.0	41.1	20.6	24.7	28.8	
3.0		19.0			23.2	21.7	19.1	20.3				18.5	21.3			
3.5		18.8	15.6		23.1	21.5	18.9	20.0	18.5			17.7	21.0			
4.0		18.6	15.4		23.0	21.3	18.7	19.8	18.3			16.5	20.8	19.5		
4.5		18.4	15.2	13.5	23.0	21.1	18.5	19.6	16.9	15.0		16.2	20.6	19.3		
5.0		18.2	15.0	13.3	22.9	21.0	18.3	19.4	16.2	14.8		15.9	20.4	19.1		
6.0		16.1	14.6	13.0	19.5	19.0	16.3	17.8	15.9	14.4	12.5	7.1	15.3	17.4		
7.0		13.0	11.6	10.2	15.0	14.9	13.7	14.1	13.0	11.8	10.2	6.6	14.5	14.0		
8.0		10.4	9.3	7.9	11.9	12.0	11.1	11.5	10.6	9.4	8.1	6.2	12.1	11.6		
9.0		8.4	7.5	6.2	9.6	9.8	9.0	9.4	8.7	7.7	6.5	5.5	9.9	9.7		
10.0		6.8	6.0	4.9	7.8	8.1	7.5	7.9	7.2	6.3	5.3	4.4	8.2	8.2		
11.0		5.6	4.8	3.7	6.2	6.8	6.2	6.6	6.0	5.2	4.2	3.2	6.8	6.9		
12.0		4.6	3.8	2.6	4.9	5.6	5.2	5.5	5.0	4.3	3.2	2.1	5.6	5.9		
13.0		3.7	2.8	1.6	3.9	4.5	4.3	4.6	4.2	3.4	2.2	1.3	4.6	5.1		
14.0		2.8	1.9	1.0	3.2	3.8	3.5	3.9	3.5	2.6	1.5		3.8	4.3		
15.0		2.0	1.2			3.2	2.9	3.3	2.8	1.8	0.9		3.2	3.7		
16.0		1.4				2.6	2.1	2.6	2.0	1.3			2.7	3.2		
18.0						1.6	1.1	1.5	1.1				1.6	2.2		
20.0													1.3	2.1		
22.0														1.2		
 %	1	0 +	0 +	46 -	0 +	0 +	0 +	0 +	0 +	0 +	46 -	92 -	0 +	0 +		
	2	0 +	46 -	46 +	0 +	0 +	0 +	0 +	0 +	46 -	46 +	46 +	0 +	0 +		
	3	46 -	46 +	46 +	0 +	0 +	46 -	0 +	46 -	46 +						




T	--
9.0 m/s	

[illegible]


10 (14)

T	--
9.0 m/s	

[illegible]


11 (14)

T	--
9.0 m/s	

[illegible]


12 (14)

T	--
9.0 m/s	


[illegible]

13 (14)

T	--
9.0 m/s	


[illegible]

14 (14)


[illegible]




T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T 9.0 m/s	--
--------------	----

[illegible]

T 9.0 m/s	--
--------------	----


[illegible]

T	--
9.0 m/s	


[illegible]




T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	

[illegible]


10 (14)

T	--
9.0 m/s	

[illegible]


11 (14)

T	--
9.0 m/s	


[illegible]

12 (14)


T	--
9.0 m/s	

[illegible]


13 (14)

[illegible]


T	--
9.0 m/s	

[illegible]


T 9.0 m/s	--
--------------	----

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]

4 (12)

T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]

	T 9.0 m/s	--	 29.0t	8.10 x 2.45 m	 360°		
--	--------------	----	---	---------------------	--	--	--

T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	

[illegible]




EN 13000 / ASME B30.5

T	--
9.0 m/s	

	 m > < t		CODE >0145<										T286.001.00312		
	m	45.2	49.4	53.5	41.1	45.2	49.4	49.4	53.5	37.0	41.1	45.2	49.4	53.5	45.2
	8.0														
	9.0														
	10.0														
	11.0														
	12.0														
	13.0														
	14.0														
	15.0														
	16.0														
	18.0														
	20.0		2.5			3.3	2.7		2.5		3.9				
	22.0	2.3	1.7	1.1	2.9	2.6	2.0	2.1	1.6	3.3	3.2	2.8		1.8	2.9
	24.0	1.6	1.0		2.3	2.0	1.2	1.3	0.9	2.8	2.6	2.2	1.7	1.1	2.3
	26.0	0.9			1.8	1.3				2.3	2.1	1.6	1.0		1.7
	28.0				1.2	0.8				1.9	1.7	1.0			1.1
	30.0									1.5	1.2				
	32.0									1.0					
	1	0 +	46 -	92 -	0 +	0 +	46 -	0 +	46 -	0 +	0 +	0 +	0 +	46 -	0 +
	2	92 -	92 +	92 +	0 +	46 -	46 +	92 -	92 +	0 +	0 +	46 -	92 -	92 +	0 +
	3	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	0 +	46 -	46 +	46 +	46 +	92 -
	4	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +
	5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
	% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +

	T	--		8.10 x 2.45 m			
	9.0 m/s		29.0t		360°		

T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


	T 9.0 m/s	--		8.10 x 2.45 m			
--	--------------	----	---	---------------------	---	--	--

12 (12)


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]

5 (11)


T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	

[illegible]


[illegible]

T	--
9.0 m/s	

[illegible]


10 (11)

T	--
9.0 m/s	


[illegible]

11 (11)


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T 9.0 m/s	--
--------------	----

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	


[illegible]

T	--
9.0 m/s	


[illegible]

10 (11)


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]


T	--
9.0 m/s	

[illegible]

T	--
9.0 m/s	

[illegible]



T	--
9.0 m/s	

[illegible]



EN 13000 / ASME B30.5

T	--
9.0 m/s	

			CODE >0171<										T286.001.00338		
	m	37.0	41.1	45.2	49.4	28.8	32.9	37.0	41.1	45.2	45.2	49.4	41.1	45.2	49.4
	3.0														
	3.5														
	4.0														
	4.5														
	5.0														
	6.0														
	7.0					8.6	8.4								
	8.0	5.7	5.2	4.4		7.1	6.9	6.3	5.7	4.7				5.2	
	9.0	4.7	4.1	3.2	2.4	5.9	5.8	5.2	4.6	3.5	3.7	2.8	4.7	4.2	3.1
	10.0	3.7	3.1	2.2	1.6	5.0	4.8	4.4	3.7	2.5	2.7	2.0	3.9	3.2	2.2
	11.0	2.7	2.1	1.6	1.0	4.1	4.1	3.5	2.8	1.8	1.9	1.3	3.0	2.3	1.5
	12.0	2.0	1.5	1.1		3.4	3.4	2.8	2.0	1.3	1.4		2.2	1.7	1.0
	13.0	1.4	1.0			2.6	2.6	2.0	1.5		0.9		1.6	1.2	
	14.0	1.0				1.9	2.0	1.5	1.1				1.2	0.8	
	15.0					1.4	1.5	1.1							
	16.0					1.1	1.1								
	1	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	46 -	0 +	46 -	0 +	0 +	46 -
	2	0 +	46 -	92 -	92 +	0 +	0 +	0 +	46 -	46 +	92 -	92 +	0 +	46 -	46 +
	3	92 -	92 +	92 +	92 +	0 +	0 +	46 -	46 +	46 +	46 +	46 +	92 -	92 +	92 +
	4	46 +	46 +	46 +	46 +	0 +	46 -	46 +	46 +	46 +	46 +	46 +	46 +	46 +	46 +
	5	46 +	46 +	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +
	% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +

	T	--		8.10 x 2.45 m			
	9.0 m/s		9.0t		360°		




EN 13000 / ASME B30.5

T	--
9.0 m/s	


	 m > t		CODE >0171<										T286.001.00338		
	m	49.4	53.5	37.0	41.1	45.2	49.4	53.5	45.2	49.4	53.5	51.5	55.6	51.5	55.6
	3.0														
	3.5														
	4.0														
	4.5														
	5.0														
	6.0														
	7.0														
	8.0			6.5	6.1										
	9.0	3.3		5.4	5.1	4.4		2.8		4.1					
	10.0	2.3	1.8	4.5	4.3	3.4	2.7	2.0	3.6	3.1	2.3	2.3	1.7	2.4	1.8
	11.0	1.6	1.2	3.8	3.4	2.6	1.9	1.4	2.8	2.3	1.7	1.7	1.2	1.8	1.2
	12.0	1.1		3.0	2.6	1.9	1.4	0.9	2.0	1.7	1.2	1.1		1.2	
	13.0			2.3	1.9	1.4	1.0		1.5	1.2				0.8	
	14.0			1.7	1.5	1.0			1.1	0.8					
	15.0			1.3	1.1										
	16.0			0.9											
	1	0 +	46 -	0 +	0 +	0 +	0 +	46 -	0 +	0 +	0 +	0 +	46 -	0 +	46 -
	2	92 -	92 +	0 +	0 +	46 -	92 -	92 +	0 +	46 -	92 -	100 -	100 +	92 -	92 +
	3	92 +	92 +	0 +	46 -	46 +	46 +	46 +	92 -	92 +	92 +	100 +	100 +	100 +	100 +
	4	46 +	46 +	92 -	92 +	92 +	92 +	92 +	92 +	92 +	92 +	46 +	46 +	46 +	46 +
	5	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +
	% 6	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	92 +	100 +	100 +	100 +	100 +

	T	--		8.10 x 2.45 m			
	9.0 m/s		9.0t		360°		

T	--
9.0 m/s	

[illegible]

11 (11)



1	0 +
2	0 +
3	0 +
4	0 +
5	0 +
6	0 +

